

Garden Department



USOR

Garden Schedule Rates

Year - 2018 -19

MUNICIPAL CORPORATION OF GREATER MUMBAI					
GARDEN DEPARTMENT					
USOR 2018					
Sr.	Item Code	Item	Unit	Cost	Item Description
1	R2-GW-1-5-A	Excavation for Planting of Tree on Soft Surface – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum.	NOS	364	Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum Loading and unloading and Transporting Excavated material form site out of Jurisdiction of MCGM Or at site designated by site incharge
2	R2-GW-1-5-B	Excavation for Planting of Tree on Hard Surface – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like Concrete, tar, paved footpath	NOS	466	Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like Concrete, tar, paved footpath, Loading and unloading and Transporting Excavated material form site out of Jurisdiction of MCGM Or at site designated by site incharge
3	R2-GW-1-5--C	Excavation for Planting of Tree on Soft Surface for Afforestation – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum.	NOS	285	Digging of Pit having size 1Mtr.x 1Mtr.x 1Mtr. on soft surface like soil, Murum. Loading and unloading and Transporting Excavated material form site out of Jurisdiction of MCGM Or at site designated by site incharge
4	R2-GW-2-1-A-9	Planting of lawn- Laying of Carpet lawn (zoysia / American / mexican/ korean carpet)	SQM	207	Laying of lush green carpet lawn of specified variety or species, removed along with the soil layer without damaging roots, without any vaccum under the lawn, rolling of lawn immediately after laying,Lawn should be free from Weeds, Ants ,Termites, Or any paste or Diseases, watering of lawn immediately after laying @ 6 lit per sq. Mtr. Maintenance of newly planted lawn for one month without extra cost and filling of casualty if any within this maintenance period without extra cost. If water facility in not available at site, Item no.R2-GW-7-28 should be operated.

5	R2-GW-2-1-D	Maintenance of Lawn excluding cost of water	SQM/ Month	21	Daily watering to the lawn @ 6 Lit. / Sq.Mtr. ,Weeding , Application of Chemical fertilizers, and pesticide as and when required and as instructed by site incharge, Lawn moving at every 20 days interval in dry season, and at 15 days interval during the monsoon , Edging of lawn at every 20 days , Cutting of lawn by using garden shear as and when require , If any endulation fill it with Mixture of RHE & CDM in 2:1 proportion immediately and laying of lawn carpet on it on the same day,If any casualty seen same should be replaced by same variety of lawn without any extra cost. Top dressing of 5 cm Mixture of RHE & CDM in 2:1 proportion once in a year or 2.5 cm twice in a year as instructed by site incharge. Lawn should be Compact, lush green , free from pest or disease in smooth leveled condition as per landscape design.Item should be operated wherever water Supply is available through MCGM.
6	R2-GW-2-3-B	Preparation of Mound for planting of lawn/shrubs/ ground cover/ creeper/ climbers .excluding cost of Lawn/shrubs/ ground cover/ creeper/ climbers .	CUM	567	Preparation of mound as per the suitable design according to landsape of garden by supply of RHE and CDM Mixing of RHE and CDM in 2:1 proportion with Pesticides & fungicides as instructed by the site incharge 2 Ft Depth at Centre & 1 Ft Depth at sideline of mound.
7	R2-GW-2-4-D	Maintenance of Shrubs/ Hedges/ Edges Excluding cost of water	SQM/ Month	50	Daily watering @ 6 Lit. / Sq.Mtr.available in the garden , weeding ,loosening of soil for maintaining the porosity as and when required, Application of Chemical fertilizers, and pesticided as and when required and as instructed by site incharge, Pruning as per the desired shape and as instructed by the site incharge, Top dressing 5 cm once in a year or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion , plants should be in healthy condition free from pest, disease attack. If any casualty observed same should be replace by the contractor without any extra cost . Item should be operated wherever water supply is available through MCGM. For Topiaries of plant, shape and size of the topiary should be maintained as it is or at higher side of the size and shape at the time of development work or at the time of starting of maintenance period .
8	R2-GW-2-4-E	Planting of shrubs/ creeper/ climbers/ ground Covers on Prepared Ground excluding cost of plants	SQM	40	Digging of Hole in a prepared ground ,Removal of shrub from pollybag without disturbing rootball and planting and resurfacing of planted area by Soil and manure as directed by site incharge. Maintenance of newly planted shrubs for one month and feeling of casualty if any during free maintenance period without extra cost. If water facility not available at site Item no.R2-GW-7-28 should be operated.

9	R2-GW-2-6-D	Maintenance of Ground Covers, Creeper, climbers Excluding cost of water	SQM	29	Daily watering @ 6 Lit. / Sq.Mtr.available in the garden etc., weeding ,loosening of soil for maintaining the porosity as and when required, Application of Chemical fertilizers, and pesticides as and when required and as instructed by site incharge, Pruning as per the desired shape and as instructed by the site incharge, Top dressing of 5 cm or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion, plants should be in healthy condition free from pest, disease. If any casualty observed same should be replace by the contractor without any extra cost Item should be operated wherever water supply is available through MCGM.
10	R2-GW-2-8-D	Maintenance of Newly planted Trees Excluding cost of water	NOS	112	Watering of tree @12 Lit. Per tree weeding, Application of Fertilizers and pesticide as and when required,loosening of soil for maintaining the porosity , stacking of tree. Removal of lower side shoots time to time for proper growth of the tree. If any casualty found same should be replaced without extra cost.Top dressing of 5 cm or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion, plants should be in healthy condition free from pest, disease. Item should be operated wherever water supply is available through MCGM.
11	R2-GW-3-1-C	Providing and laying Natural unpolished White Pebbles of size 30mm to 50mm	Kg	53	Providing and laying Natural unpolished White Pebbles of size 30mm to 50mm
12	R2-GW-3-1-D	Providing and laying Natural unpolished Black/Brown Pebbles of size 30mm to 50mm	Kg	43	Providing and laying Natural unpolished Black/Brown Pebbles of size 30mm to 50mm
13	R2-GW-3-1-E	Providing and laying Natural unpolished mixed colour Pebbles of size 5mm to 20mm laying	Kg	47	Providing and laying Natural unpolished mixed colour Pebbles of size 5mm to 20mm laying
14	R2-GW-3-1-F	Providing and laying Natural unpolished White Pebbles of size 75mm to 125mm	Kg	47	Providing and laying Natural unpolished White Pebbles of size 75mm to 125mm
15	R2-GW-3-1-G	Providing and laying Natural unpolished Black/Brown Pebbles of size 75mm to 125mm	Kg	47	Providing and laying Natural unpolished Black/Brown Pebbles of size 75mm to 125mm
16	R2-GW-3-1-H	Providing and laying Polished White Pebbles of size 75mm to 125mm	Kg	133	Providing and laying Polished White Pebbles of size 75mm to 125mm
17	R2-GW-3-1-I	Providing and laying Polished Black/Brown Pebbles of size 75mm to 125mm	Kg	133	Providing and laying Polished Black/Brown Pebbles of size 75mm to 125mm
18	R2-GW-4-1-A	POLY TUBE 16 MM.RD. CL III AS PER IS:12786	MTR	21	POLY TUBE 16 MM.RD. CL III AS PER IS:12786
19	R2-GW-4-1-B	POLY TUBE 20 MM. RD. CL III AS PER IS:12786	MTR	36	POLY TUBE 20 MM. RD. CL III AS PER IS:12786
20	R2-GW-4-1-C	POLY TUBE 25 MM. RD.CL III AS PER IS:12786	MTR	43	POLY TUBE 25 MM. RD.CL III AS PER IS:12786

21	R2-GW-4-1-D	POLY TUBE 32 MM. RD.CL III AS PER IS:12786	MTR	55	POLY TUBE 32 MM. RD.CL III AS PER IS:12786
22	R2-GW-4-1-E	LLDPE EXTENSION TUBE 6 MM. MINIMUM THICKNESS 1 MM.	MTR	14	LLDPE EXTENSION TUBE 6 MM. MINIMUM THICKNESS 1 MM.
23	R2-GW-4-1-F	LLDPE EXTENSION TUBE 8 MM. MINIMUM THICKNESS 1 MM.	MTR	15	LLDPE EXTENSION TUBE 8 MM. MINIMUM THICKNESS 1 MM.
24	R2-GW-4-10-A	ELBOW 50 MM	NOS	70	ELBOW 50 MM
25	R2-GW-4-10-AA	SERVICE SADDLE 90 MM.	NOS	235	SERVICE SADDLE 90 MM.
26	R2-GW-4-10-AB	TAIL PIECE WITH FLANGE 110MM. 10KGF.	NOS	611	TAIL PIECE WITH FLANGE 110MM. 10KGF.
27	R2-GW-4-10-AC	TAIL PIECE WITH FLANGE 90MM. 10KGF.	NOS	485	TAIL PIECE WITH FLANGE 90MM. 10KGF.
28	R2-GW-4-10-AD	TAIL PIECE WITH FLANGE 75MM. 10KGF.	NOS	451	TAIL PIECE WITH FLANGE 75MM. 10KGF.
29	R2-GW-4-10-AE	TAIL PIECE WITH FLANGE 63 MM. 10 KGF.	NOS	388	TAIL PIECE WITH FLANGE 63 MM. 10 KGF.
30	R2-GW-4-10-B	ELBOW 63 MM	NOS	102	ELBOW 63 MM
31	R2-GW-4-10-C	ELBOW 75 MM	NOS	117	ELBOW 75 MM
32	R2-GW-4-10-D	ELBOW 90 MM	NOS	180	ELBOW 90 MM
33	R2-GW-4-10-E	ELBOW 110 MM	NOS	267	ELBOW 110 MM
34	R2-GW-4-10-F	TEE 50 MM	NOS	70	TEE 50 MM
35	R2-GW-4-10-G	TEE 63 MM	NOS	97	TEE 63 MM
36	R2-GW-4-10-H	TEE75 MM	NOS	125	TEE75 MM
37	R2-GW-4-10-I	TEE 90 MM	NOS	205	TEE 90 MM
38	R2-GW-4-10-J	TEE 110 MM	NOS	352	TEE 110 MM
39	R2-GW-4-10-K	END CAP 50 MM	NOS	25	END CAP 50 MM
40	R2-GW-4-10-L	END CAP 63 MM	NOS	39	END CAP 63 MM
41	R2-GW-4-10-M	END CAP 75 MM	NOS	55	END CAP 75 MM
42	R2-GW-4-10-N	END CAP 90 MM	NOS	81	END CAP 90 MM
43	R2-GW-4-10-O	COUPLER 50 MM.	NOS	31	COUPLER 50 MM.
44	R2-GW-4-10-P	COUPLER 63 MM.	NOS	42	COUPLER 63 MM.
45	R2-GW-4-10-Q	COUPLER 75 MM.	NOS	55	COUPLER 75 MM.
46	R2-GW-4-10-R	COUPLER 90 MM.	NOS	88	COUPLER 90 MM.
47	R2-GW-4-10-S	COUPLER 110 MM.	NOS	149	COUPLER 110 MM.
48	R2-GW-4-10-T	REDUCER 110 X 90 MM.	NOS	139	REDUCER 110 X 90 MM.

49	R2-GW-4-10-U	REDUCER 90X 75 MM.	NOS	83	REDUCER 90X 75 MM.
50	R2-GW-4-10-V	REDUCER 75X 63 MM.	NOS	61	REDUCER 75X 63 MM.
51	R2-GW-4-10-W	REDUCER 63X50 MM.	NOS	50	REDUCER 63X50 MM.
52	R2-GW-4-10-X	SERVICE SADDLE 50 MM.	NOS	172	SERVICE SADDLE 50 MM.
53	R2-GW-4-10-Y	SERVICE SADDLE 63 MM.	NOS	188	SERVICE SADDLE 63 MM.
54	R2-GW-4-10-Z	SERVICE SADDLE 75 MM.	NOS	219	SERVICE SADDLE 75 MM.
55	R2-GW-4-11-A	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 6 KGF.	MTR	139	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 6 KGF.
56	R2-GW-4-11-B	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 8 KGF.	MTR	179	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 8 KGF.
57	R2-GW-4-11-C	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 10 KGF.	MTR	211	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 10 KGF.
58	R2-GW-4-11-D	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 6 KGF.	MTR	218	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 6 KGF.
59	R2-GW-4-11-E	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 8 KGF.	MTR	277	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 8 KGF.
60	R2-GW-4-11-F	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 10 KGF.	MTR	334	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 10 KGF.
61	R2-GW-4-11-G	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 6 KGF.	MTR	310	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 6 KGF.
62	R2-GW-4-11-H	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 8 KGF.	MTR	392	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 8 KGF.
63	R2-GW-4-11-I	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 10 KGF.	MTR	471	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 10 KGF.
64	R2-GW-4-11-J	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 6 KGF.	MTR	440	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 6 KGF.
65	R2-GW-4-11-K	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 8 KGF.	MTR	561	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 8 KGF.
66	R2-GW-4-11-L	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 10 KGF.	MTR	673	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 10 KGF.
67	R2-GW-4-11-M	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 6 KGF.	MTR	659	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 6 KGF.

68	R2-GW-4-11-N	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 8 KGF.	MTR	838	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 8 KGF.
69	R2-GW-4-11-O	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 10KGF.	MTR	998	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 10KGF.
73	R2-GW-4-12-D	QRC HDPE 63MM. SERVICE SADDLE	NOS	235	QRC HDPE 63MM. SERVICE SADDLE
74	R2-GW-4-12-E	QRC HDPE 75MM. SERVICE SADDLE	NOS	251	QRC HDPE 75MM. SERVICE SADDLE
75	R2-GW-4-12-F	QRC HDPE 90MM. SERVICE SADDLE	NOS	313	QRC HDPE 90MM. SERVICE SADDLE
76	R2-GW-4-12-G	QRC HDPE PUMP CONNECTING NIPPLE 63 MM	NOS	548	QRC HDPE PUMP CONNECTING NIPPLE 63 MM
77	R2-GW-4-12-H	QRC HDPE PUMP CONNECTING NIPPLE 75 MM	NOS	626	QRC HDPE PUMP CONNECTING NIPPLE 75 MM
78	R2-GW-4-12-I	QRC HDPE PUMP CONNECTING NIPPLE 90 MM	NOS	673	QRC HDPE PUMP CONNECTING NIPPLE 90 MM
88	R2-GW-4-12-S	HDPE PIPE WITH QRC CLASS III 110 MM 4 KGF. 6M	NOS	844	HDPE PIPE WITH QRC CLASS III 110 MM 4 KGF. 6M
89	R2-GW-4-12-T	RAIN GUN STAND 1.5 MTR HT. TRIPOD	NOS	7078	RAIN GUN STAND 1.5 MTR HT. TRIPOD
90	R2-GW-4-12-U	RAIN GUN STAND 2.0 MTR HT. TRIPOD	NOS	8754	RAIN GUN STAND 2.0 MTR HT. TRIPOD
91	R2-GW-4-13-A	HDPE ELBOW 50 MM	NOS	133	HDPE ELBOW 50 MM
92	R2-GW-4-13-B	HDPE ELBOW 63 MM	NOS	149	HDPE ELBOW 63 MM
93	R2-GW-4-13-C	HDPE ELBOW 75 MM	NOS	274	HDPE ELBOW 75 MM
94	R2-GW-4-13-D	HDPE ELBOW 90 MM	NOS	329	HDPE ELBOW 90 MM
95	R2-GW-4-13-E	HDPE TEE 50 MM.	NOS	196	HDPE TEE 50 MM.
96	R2-GW-4-13-F	HDPE TEE 63 MM.	NOS	224	HDPE TEE 63 MM.
97	R2-GW-4-13-G	HDPE TEE 75 MM.	NOS	362	HDPE TEE 75 MM.
98	R2-GW-4-13-H	HDPE TEE 90 MM.	NOS	601	HDPE TEE 90 MM.
99	R2-GW-4-13-I	HDPE SERVICE SADDLE 50 MM.	NOS	188	HDPE SERVICE SADDLE 50 MM.
100	R2-GW-4-13-J	HDPE SERVICE SADDLE 63 MM.	NOS	204	HDPE SERVICE SADDLE 63 MM.
101	R2-GW-4-13-K	HDPE SERVICE SADDLE 75 MM.	NOS	219	HDPE SERVICE SADDLE 75 MM.
102	R2-GW-4-13-L	HDPE SERVICE SADDLE 90 MM.	NOS	235	HDPE SERVICE SADDLE 90 MM.
103	R2-GW-4-13-M	HDPE SERVICE SADDLE 110 MM.	NOS	251	HDPE SERVICE SADDLE 110 MM.
104	R2-GW-4-13-N	HDPE PIPE END 50 MM. 6 KGF.	NOS	121	HDPE PIPE END 50 MM. 6 KGF.

105	R2-GW-4-13-O	HDPE PIPE END 63 MM. 6 KGF.	NOS	138	HDPE PIPE END 63 MM. 6 KGF.
106	R2-GW-4-13-P	HDPE PIPE END 75 MM. 6 KGF.	NOS	172	HDPE PIPE END 75 MM. 6 KGF.
107	R2-GW-4-13-Q	HDPE PIPE END 90 MM. 6 KGF.	NOS	305	HDPE PIPE END 90 MM. 6 KGF.
108	R2-GW-4-13-R	HDPE PIPE END 110 MM. 6 KGF.	NOS	305	HDPE PIPE END 110 MM. 6 KGF.
109	R2-GW-4-13-S	FLUSH VALVE PLASTIC 50 MM.	NOS	235	FLUSH VALVE PLASTIC 50 MM.
110	R2-GW-4-13-T	FLUSH VALVE PLASTIC 63 MM.	NOS	298	FLUSH VALVE PLASTIC 63 MM.
111	R2-GW-4-13-U	SOLVENT CEMENT 1 LIT.	NOS	861	SOLVENT CEMENT 1 LIT.
112	R2-GW-4-2-A	IN LINE DRIP LINE 16MM. 4 LPH. 40 CMS. NON REGULATED CLASS III : IS: 13488	MTR	25	IN LINE DRIP LINE 16MM. 4 LPH. 40 CMS. NON REGULATED CLASS III : IS: 13488
113	R2-GW-4-2-B	IN LINE DRIP LINE 16MM. 2 LPH.TO 4 LPH. 30 CMS.CLASS II REGULATED : IS: 13488	MTR	24	IN LINE DRIP LINE 16MM. 2 LPH.TO 4 LPH. 30 CMS.CLASS II REGULATED : IS: 13488
114	R2-GW-4-2-C	IN LINE DRIP LINE 12MM. 2 LPH. TO 3.5 LPH. 30 CMS.CLASS III NON REGULATED: IS: 13488	MTR	23	IN LINE DRIP LINE 12MM. 2 LPH. TO 3.5 LPH. 30 CMS.CLASS III NON REGULATED: IS: 13488
115	R2-GW-4-2-D	DRIPPER 4 LPH./8 LPH. REGULATED. IS:13487	NOS	8	DRIPPER 4 LPH./8 LPH. REGULATED. IS:13487
116	R2-GW-4-2-E	DRIPPER 4 LPH./8 LPH. NON REGULATED.IS: 13487	NOS	7	DRIPPER 4 LPH./8 LPH. NON REGULATED.IS: 13487
117	R2-GW-4-2-F	Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. Incudes drips, Sprinkler, Filters, Pipes With 3 year warranty . Excluding Pumping Unit	Sq. MTR	241	Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Excluding pumping system only
118	R2-GW-4-2-G	Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. To 3000 Sq Mtr. Incudes drips, Sprinkler, Filters, Pipes with 3 year warranty . Excluding Pumping Unit	Sq. MTR	279	Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Excluding pumping system only
119	R2-GW-4-2-H	Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area above 3000 Sq. Mtr. Incudes drips, Sprinkler, Filters, Pipes with 3 year warranty . Excluding Pumping Unit	Sq. MTR	332	Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Excluding pumping system only with 1 year guaranty

120	R2-GW-4-2-I	Providing and Fixing , Installation of Drip and Fogger Irrigation system To Verticle biowall/ Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty . Excluding Pumping Unit	Sq. MTR	1463	Installation of drip and fogger irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Excluding pumping system only
121	R2-GW-4-2-J	Providing and Fixing , Installation of Automised Drip and Fogger Irrigation system To Verticle biowall/ Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty . Excluding Pumping Unit	Sq. MTR	1729	Installation of drip and fogger irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Excluding pumping system only
122	R2-GW-4-3-A	FOGGERS 4 WAY ASSEMBLY WITH LOW/HIGH LPD -20 TO 30 LPH.	NOS	329	FOGGERS 4 WAY ASSEMBLY WITH LOW/HIGH LPD -20 TO 30 LPH.
123	R2-GW-4-3-B	FOGGERS 2 WAY ASSEMBLY WITH LOW/HIGH LPD -10 TO 20 LPH.	NOS	235	FOGGERS 2 WAY ASSEMBLY WITH LOW/HIGH LPD -10 TO 20 LPH.
124	R2-GW-4-3-C	FOGGERS SINGLE WAY ASSEMBLY WITH LOW/HIGH LPD -05 TO 10 LPH.	NOS	110	FOGGERS SINGLE WAY ASSEMBLY WITH LOW/HIGH LPD -05 TO 10 LPH.
125	R2-GW-4-4-A	BRIDGELESS MINI SPRINKLER ASSEMBLY WITH LEAK PREVENTION DEVICE, OPERATING PRESSURE 2 TO 3 KG./SQ.CM	NOS	188	BRIDGELESS MINI SPRINKLER ASSEMBLY WITH LEAK PREVENTION DEVICE, OPERATING PRESSURE 2 TO 3 KG./SQ.CM
126	R2-GW-4-4-B	MODULAR SPRINKLER WITH PLASTIC STAKE ASSEMBLY -OPERATING PRESSURE 1.5 TO 3 KGF. FLOW RATE 25 TO 400	NOS	392	MODULAR SPRINKLER WITH PLASTIC STAKE ASSEMBLY -OPERATING PRESSURE 1.5 TO 3 KGF. FLOW RATE 25 TO 400
127	R2-GW-4-4-C	TURBO HAMMER LOW VOLUME SPRINKLER ASSEMBLY 1 MTR. HEIGHT, OPERATING PRESSURE 1.5 KGF. 1/2" BSP. M/F	NOS	407	TURBO HAMMER LOW VOLUME SPRINKLER ASSEMBLY 1 MTR. HEIGHT, OPERATING PRESSURE 1.5 KGF. 1/2" BSP. M/F
128	R2-GW-4-4-D	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET FULL CIRCLE WI	NOS	705	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET FULL CIRCLE WI
129	R2-GW-4-4-E	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET PART CICLE 2.8	NOS	705	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET PART CICLE 2.8
130	R2-GW-4-4-F	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 3/4" M THREADED INLET FULL CIRCLE WI	NOS	1801	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 3/4" M THREADED INLET FULL CIRCLE WI

131	R2-GW-4-5-A	FOAM BUBBLE/ GEYSER JET FITTED ON UNIVERSAL BALL JOINT	NOS	260	FOAM BUBBLE/ GEYSER JET FITTED ON UNIVERSAL BALL JOINT
132	R2-GW-4-5-B	SS 304 FRAMED MESH COVER	NOS	392	SS 304 FRAMED MESH COVER
139	R2-GW-4-6-A	32MM. COMPRESSION JOINER	NOS	16	32MM. COMPRESSION JOINER
140	R2-GW-4-6-B	32MM. COMPRESSION TEE	NOS	19	32MM. COMPRESSION TEE
141	R2-GW-4-6-C	32MM. COMPRESSION END	NOS	14	32MM. COMPRESSION END
142	R2-GW-4-6-D	25MM. COMPRESSION JOINER	NOS	13	25MM. COMPRESSION JOINER
143	R2-GW-4-6-E	25MM. COMPRESSION TEE	NOS	14	25MM. COMPRESSION TEE
144	R2-GW-4-6-G	25 MM. COMPRESSION END	NOS	11	25 MM. COMPRESSION END
145	R2-GW-4-6-H	40MM. COMPRESSION JOINER	NOS	23	40MM. COMPRESSION JOINER
146	R2-GW-4-6-I	40MM. COMPRESSION TEE	NOS	31	40MM. COMPRESSION TEE
147	R2-GW-4-6-J	40MM. COMPRESSION END	NOS	22	40MM. COMPRESSION END
148	R2-GW-4-6-K	SCREEN FILTER Y TYPE 2" METAL – 25CUMH.IS:12785	NOS	7125	SCREEN FILTER Y TYPE 2" METAL – 25CUMH.IS:12785
149	R2-GW-4-6-L	SCREEN FILTER Y TYPE 2.5" METAL - 40 CUMH. IS:12785	NOS	8237	SCREEN FILTER Y TYPE 2.5" METAL - 40 CUMH. IS:12785
150	R2-GW-4-6-M	SCREEN FILTER Y TYPE 3" METAL - 50 CUMH. IS:12785	NOS	11870	SCREEN FILTER Y TYPE 3" METAL - 50 CUMH. IS:12785
151	R2-GW-4-6-N	PRESSURE GAUGE 2" GLY. FILLED	NOS	548	PRESSURE GAUGE 2" GLY. FILLED
152	R2-GW-4-7-A	MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	48566	MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI
153	R2-GW-4-7-B	MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	38918	MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI
154	R2-GW-4-7-C	MEDIA FILTER 3.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	51127	MEDIA FILTER 3.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI
155	R2-GW-4-7-D	MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	38915	MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI

156	R2-GW-4-7-E	MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	48655	MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI
157	R2-GW-4-7-G	MEDIA FILTER 3" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILICA	NOS	51127	MEDIA FILTER 3" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILICA
158	R2-GW-4-7-H	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.0" IS:14606	NOS	48938	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.0" IS:14606
159	R2-GW-4-7-I	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.5" - HORIZONTAL IS:14606	NOS	62302	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.5" - HORIZONTAL IS:14606
160	R2-GW-4-7-J	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 3" HORIZONTAL IS:14606	NOS	66649	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 3" HORIZONTAL IS:14606
161	R2-GW-4-8-A	CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF	NOS	2631	CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF
162	R2-GW-4-8-B	CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF	NOS	2631	CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF
163	R2-GW-4-8-C	IMPACT POP UP 1/2" FEMALE INLET, HEAVY DUTY PLASTIC ADJUSTABLE SPRINKLER 3.2 MM. NOZZLE & PLASTIC H	NOS	877	IMPACT POP UP 1/2" FEMALE INLET, HEAVY DUTY PLASTIC ADJUSTABLE SPRINKLER 3.2 MM. NOZZLE & PLASTIC H
164	R2-GW-4-8-D	LIGHT WEIGHT DUTY RAIN GUN WITH 1M STAND ASSEMBLY 1 1/2" -BSP MALE THREADED CONNECTION FC. OPERATIN	NOS	9333	LIGHT WEIGHT DUTY RAIN GUN WITH 1M STAND ASSEMBLY 1 1/2" -BSP MALE THREADED CONNECTION FC. OPERATIN
165	R2-GW-4-8-E	BIG VOLUME RAIN GUN - LIGHT WEIGHT HIGH TECH COMPOSITE MATERIAL - 2" BSP. FEMALE THREADED INLET, NO	NOS	13969	BIG VOLUME RAIN GUN - LIGHT WEIGHT HIGH TECH COMPOSITE MATERIAL - 2" BSP. FEMALE THREADED INLET, NO
166	R2-GW-4-8-G	2" OR 4 INCH POP UP ADJUSTABLE ROTOR - PLASTIC : HEAVY DUTY COMMERCIAL GRADE, 3/4" FEMALE INLET, DI	NOS	1954	2" OR 4 INCH POP UP ADJUSTABLE ROTOR - PLASTIC : HEAVY DUTY COMMERCIAL GRADE, 3/4" FEMALE INLET, DI
167	R2-GW-4-8-H	4" POP UP PLASTIC ROTOR : HEAVY DUTY COMMERCIAL GRADE FOR PARKS & GARDEN , 1" FEMALE INLET, EXPOSED	NOS	2474	4" POP UP PLASTIC ROTOR : HEAVY DUTY COMMERCIAL GRADE FOR PARKS & GARDEN , 1" FEMALE INLET, EXPOSED

168	R2-GW-4-8-I	PLASTIC SPRAY POP UP 2" TO 4" RISER : HEAVY DUTY COMMERCIAL GRADE FOR INSTITUTIONAL AND PUBLIC AREA	NOS	1018	PLASTIC SPRAY POP UP 2" TO 4" RISER : HEAVY DUTY COMMERCIAL GRADE FOR INSTITUTIONAL AND PUBLIC AREA
169	R2-GW-4-8-J	PLASTIC SPRAY POP UP 2" TO 4" RISER & 3 MTRS. TO 9MTRS. MULTI STREAM NOZZLE: HEAVY DUTY COMMERCIAL	NOS	1300	PLASTIC SPRAY POP UP 2" TO 4" RISER & 3 MTRS. TO 9MTRS. MULTI STREAM NOZZLE: HEAVY DUTY COMMERCIAL
170	R2-GW-4-8-K	1" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.	NOS	2114	1" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.
171	R2-GW-4-8-L	2" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.	NOS	8237	2" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.
172	R2-GW-4-8-M	4" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.	NOS	31713	4" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.
173	R2-GW-4-8-N	COMMERCIAL CONTROLLER 6 STATION PLASTIC CABINET, TRANSFORMER INPUT 240 VAC 50/60 HZ, OUTPUT = 24 VA	NOS	39805	COMMERCIAL CONTROLLER 6 STATION PLASTIC CABINET, TRANSFORMER INPUT 240 VAC 50/60 HZ, OUTPUT = 24 VA
174	R2-GW-4-9-A	UPVC. PIPE:ISI MARKED - IS 4985 32 MM. 10 KGF.	MTR	67	UPVC. PIPE:ISI MARKED - IS 4985 32 MM. 10 KGF.
175	R2-GW-4-9-B	UPVC. PIPE:ISI MARKED - IS 4985 40 MM. 10 KGF.	MTR	104	UPVC. PIPE:ISI MARKED - IS 4985 40 MM. 10 KGF.
176	R2-GW-4-9-C	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 6 KGF.	MTR	94	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 6 KGF.
177	R2-GW-4-9-D	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 8 KGF.	MTR	118	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 8 KGF.
178	R2-GW-4-9-E	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 10 KGF.	MTR	161	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 10 KGF.
179	R2-GW-4-9-F	UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 6 KGF.	MTR	156	UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 6 KGF.
180	R2-GW-4-9-G	UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 8 KGF.	MTR	225	UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 8 KGF.
181	R2-GW-4-9-H	UPVC. PIPE:ISI MARKED - IS 4985 63 MM.10 KGF.	MTR	238	UPVC. PIPE:ISI MARKED - IS 4985 63 MM.10 KGF.
182	R2-GW-4-9-I	UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 6 KGF.	MTR	217	UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 6 KGF.

183	R2-GW-4-9-J	UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 8 KGF.	MTR	306	UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 8 KGF.
184	R2-GW-4-9-K	UPVC. PIPE:ISI MARKED - IS 4985 75 MM.10 KGF.	MTR	340	UPVC. PIPE:ISI MARKED - IS 4985 75 MM.10 KGF.
185	R2-GW-4-9-L	UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 6 KGF.	MTR	308	UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 6 KGF.
186	R2-GW-4-9-M	UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 8 KGF.	MTR	437	UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 8 KGF.
187	R2-GW-4-9-N	UPVC. PIPE:ISI MARKED - IS 4985 90 MM.10 KGF.	MTR	487	UPVC. PIPE:ISI MARKED - IS 4985 90 MM.10 KGF.
188	R2-GW-4-9-O	UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 6 KGF.	MTR	447	UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 6 KGF.
189	R2-GW-4-9-P	UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 8 KGF.	MTR	624	UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 8 KGF.
190	R2-GW-4-9-Q	UPVC. PIPE:ISI MARKED - IS 4985 110 MM.10 KGF.	MTR	727	UPVC. PIPE:ISI MARKED - IS 4985 110 MM.10 KGF.
191	R2-GW-5-1	Acalypha wilkesiana 6 " height Acalypha Batic 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
192	R2-GW-5-2	Acalypha wilkesiana 6 " height Acalypha Dwarf 6 " to 9 " height excluding pollybag	NOS	28	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
193	R2-GW-5-3	Acalypha wilkesiana 6 " height Acalypha Java 6 " to 9 " height excluding pollybag	NOS	43	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
194	R2-GW-5-4	Acalypha wilkesiana 6 " height Acalypha Ceylon 6 " to 9 " height excluding pollybag	NOS	24	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
195	R2-GW-5-5	Acalypha wilkesiana6 " height Acalypha Acrophylla 6 " to 9 " height excluding pollybag	NOS	24	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
196	R2-GW-5-6	Acalypha wilkesiana6 " height Acalypha Tahiti 6 " to 9 " height excluding pollybag	NOS	28	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
197	R2-GW-5-7	Allamanda cathartica india 6 " height Dwarf Green Allam 6 " to 9 " height excluding pollybag	NOS	25	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
198	R2-GW-5-8	Allamanda cathartica6 " height Dwarf Silver Allam 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
199	R2-GW-5-9	Alternanthera betzickiana6 " height Red/Green Alternanthera 6 " to 9 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.

200	R2-GW-5-10	Alternanthera betzickiana 6 " height Verigated Alternanthera 6 " to 9 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
201	R2-GW-5-11	Alternanthera versicolor 6 " height Black Alternanthera 6 " to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
202	R2-GW-5-12	Asparagus springeri shatawari 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
203	R2-GW-5-13	Baxus microphylla 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
204	R2-GW-5-14	Bougainvillea glabra Purple Single Flowers 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
205	R2-GW-5-15	Bougainvillea butiana Lady Mary Bearing 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
206	R2-GW-5-16	Bougainvillea pixie 6 " to 9 " height excluding pollybag	NOS	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
207	R2-GW-5-17	Bougainvillea purviana Partha Red Single 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
208	R2-GW-5-18	Bougainvillea purviana Mary Palmer 6 " to 9 " height excluding pollybag	NOS	63	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
209	R2-GW-5-19	Bougainvillea purviana Shubhra (White) 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
210	R2-GW-5-20	Bougainvillea purviana Thimma 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
211	R2-GW-5-21	Bougainvillea sp. Dr. Rao , Dr. Bhabha 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
212	R2-GW-5-22	Bougainvillea sp. Mix Var. Specimen 6 " to 9 " height excluding pollybag	NOS	48	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
213	R2-GW-5-23	Bougainvillea Butiana mahara' Red Double Flowers 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
214	R2-GW-5-24	Bougainvillea Butiana mohan' Pink double flower 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.
215	R2-GW-5-25	Caeslapinia pulcherima Red / Pink /Yellow 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest with sufficient moisture around root zone in pollybag.

216	R2-GW-5-26	Calliandra emarginata Dwarf Red Calliandra 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
217	R2-GW-5-27	Canna sp. Dwarf Canna Varieties 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
218	R2-GW-5-28	Canna sp. Ordinary Varieties 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
219	R2-GW-5-29	Canna variegata Canna Varigated 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
220	R2-GW-5-30	Cestrum nocturnum Raat Rani 6 " to 9 " height excluding pollybag	NOS	32	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
221	R2-GW-5-31	Cestrum diurnum Din Ka Raja 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
222	R2-GW-5-32	Codiaeum variegatum Ordinary Croton 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
223	R2-GW-5-33	Codiaeum variegatum Yellow/Green Croton 6 " to 9 " height excluding pollybag	NOS	24	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
224	R2-GW-5-34	Codiaeum variegatum Crispum Croton 6 " to 9 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
225	R2-GW-5-35	Codiaeum variegatum Duck Foot Croton 6 " to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
226	R2-GW-5-36	Codiaeum variegatum Petra croton 6 " to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
227	R2-GW-5-37	Codiaeum variegatum Hybrid croton 6 " to 9 " height excluding pollybag	NOS	36	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

228	R2-GW-5-38	Codieum variegatum Assorted variety 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
229	R2-GW-5-39	Chlorophytum comosum Spider Plant 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
230	R2-GW-5-40	Chlorophytum laxum Dwarf Chlorophytum 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
231	R2-GW-5-41	Chlorophytum Species Dusty Miller 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
232	R2-GW-5-42	Chrysanthemums pulcherima 6 " to 9 " height excluding pollybag	NOS	32	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
233	R2-GW-5-43	Vekhand 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
234	R2-GW-5-44	Coleus 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
235	R2-GW-5-45	Coleus 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
236	R2-GW-5-46	Coleus aromatica 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
237	R2-GW-5-47	Crossandra undulaefolia 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
238	R2-GW-5-48	Cynodon species American blue grass 10 kg pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
239	R2-GW-5-49	Dracaena colorama 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

240	R2-GW-5-50	Draceana 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
241	R2-GW-5-51	Duranta repens Golden duranta 6 " to 9 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
242	R2-GW-5-52	Duranta repens tinge Sunshine duranta 6 " to 9 " height excluding pollybag	NOS	24	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
243	R2-GW-5-53	Duranta speciosa Broad leaf variegated duranta 6 " to 9 " height excluding pollybag	NOS	25	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
244	R2-GW-5-54	Duranta variegata Variegated Duranta 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
245	R2-GW-5-55	Eranthemum albomarginatum White Eranthemum` 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
246	R2-GW-5-56	Eranthemum bicolor Yellow Eranthemum 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
247	R2-GW-5-57	Eranthemum reticulatum Golden Eranthemum 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
248	R2-GW-5-58	Eranthemum Tricolor Pink Eranthemum 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
249	R2-GW-5-59	Euphorbia caracasana Burgandy leaves 6 " to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
250	R2-GW-5-60	Excoecaria bicolor Laila Majnu 6 " to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
251	R2-GW-5-61	Ficus benjamina Benjamina Corporata 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

252	R2-GW-5-62	Ficus benjamina Bushy Prince Ficus 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
253	R2-GW-5-63	Ficus benjamina Ficus Nuda 6 " to 9 " height excluding pollybag	NOS	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
254	R2-GW-5-64	Ficus benjamina variegata Ficus Nuda 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
255	R2-GW-5-65	Ficus benjamina variegated Variegated Ficus 6 " to 9 " height excluding pollybag	NOS	47	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
256	R2-GW-5-66	Ficus Nitida Ficus Panda 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
257	R2-GW-5-67	Ficus benjamina variegata Starlight Ficus 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
258	R2-GW-5-68	Galphimia glauca Canary Bush 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
259	R2-GW-5-69	Gardenia jasminoides Anant 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
260	R2-GW-5-70	Gynura aurantica 6 " to 9 " height excluding pollybag	NOS	47	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
261	R2-GW-5-71	Hamilia patens 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
262	R2-GW-5-72	Heliconia humilis Red / Oranger flowers 6 " to 9 " height excluding pollybag	NOS	152	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
263	R2-GW-5-73	Heliconia metallica Red leaf Heliconia 6 " to 9 " height excluding pollybag	NOS	127	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

264	R2-GW-5-74	Heliconia pisttacorom Yellow flower 6 " to 9 " height excluding pollybag	NOS	74	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
265	R2-GW-5-75	Hibiscus mutabilis Bhendi Gulab 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
266	R2-GW-5-76	Hibiscus rosasinensis La France Pink / White 6 " to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
267	R2-GW-5-77	Hibiscus rosasinensis Hawaiian Hibiscus 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
268	R2-GW-5-78	Hibiscus rosasinensis Snow Flake Hibiscus 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
269	R2-GW-5-79	Hydrangia macrophylla Hy-drangia 6 " to 9 " height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
270	R2-GW-5-80	Ixora chinensis Prince Of Orange 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
271	R2-GW-5-81	Ixora chinensis cv. Lutea Yellow Ixora 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
272	R2-GW-5-82	Ixora chinensis cv. Sunkist Ixora Nana Pink 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
273	R2-GW-5-83	Ixora chinensis cv. Sunkist Ixora Nana Red 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
274	R2-GW-5-84	Ixora Duffi Red Flowered Ixora 6 " to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
275	R2-GW-5-85	Ixora Singaporensis Orange Ixora 6 " to 9 " height excluding pollybag	NOS	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

276	R2-GW-5-86	Ixora Singaporensis Yellow Single Ixora 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
277	R2-GW-5-87	Iresine 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
278	R2-GW-5-88	Jasminum pubescens Kund 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
279	R2-GW-5-89	Jasminum sambac Mogra 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
280	R2-GW-5-90	Jasminum Sp. Jai / Jui 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
281	R2-GW-5-91	Jatropha Pandurifolia Jatropha 6 " to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
282	R2-GW-5-92	Juniperus prostate Cascading Juniperus 14"- 18" height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
283	R2-GW-5-93	Juniperus pyramidalis Temple Juniperus 3'-4 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
284	R2-GW-5-94	Lantana camera depressa Yellow Lantana 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
285	R2-GW-5-95	Lantana camera sanguinea Haldikunku Lantana 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
286	R2-GW-5-96	Lantana camera Pink Pink Lantana 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
287	R2-GW-5-97	Lantana sellowiana Purple Creeping 6 " to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

288	R2-GW-5-98	Lantana sellowiana White Creeping 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
289	R2-GW-5-99	Magnolia pumila Kavthi Chapha 6 " to 9 " height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
290	R2-GW-5-100	Lawsonia inermis 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
291	R2-GW-5-101	Malpighia coccigera Barbados Cherry 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
292	R2-GW-5-102	Manihot esculentus Variegated tapioca 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
293	R2-GW-5-103	Maranta Zebrina 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
294	R2-GW-5-104	Mentha veridis 6 " to 9 " height excluding pollybag	NOS	48	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
295	R2-GW-5-105	Meyenia Erecta Meena 6 " to 9 " height excluding pollybag	NOS	24	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
296	R2-GW-5-106	Murraya Exotica Kamini 6 " to 9 " height excluding pollybag	NOS	24	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
297	R2-GW-5-107	Mussaenda Erythrophylla Red Single Mussaenda 9 " to 12" height excluding pollybag	NOS	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
298	R2-GW-5-108	Mussaenda Erythrophylla Orange Mussaenda 9 " to 12" height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
299	R2-GW-5-109	Mussaenda erythrophylla Red Mussaenda 9 " to 12" height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

300	R2-GW-5-110	Mussaenda Phillipica Pink Mussaenda 9 " to 12" height excluding pollybag	NOS	83	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
301	R2-GW-5-111	Mussaenda Phillipica White Mussaenda 9 " to 12" height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
302	R2-GW-5-112	Mussaenda Lutea Yellow Mussaenda9 " to 12" height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
303	R2-GW-5-113	Mussaenda Red Double Mussaenda 9 " to 12" height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
304	R2-GW-5-114	Nerium oleander album White Kanher 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
305	R2-GW-5-115	Nerium oleander carnea Pink Kanher 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
306	R2-GW-5-116	Nerium oleander variegata Pink variegated Kanher 6 " to 9 " height excluding pollybag	NOS	26	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
307	R2-GW-5-117	Nerium petit salmon Dwarf Nerium 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
308	R2-GW-5-118	Oscimum scantum Tulsi 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
309	R2-GW-5-119	Pachystachys lutea Lolipop Plant 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
310	R2-GW-5-120	Pentas lanceolata alba White Pentas 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
311	R2-GW-5-121	Pentas lanceolata carnea Pink Pentas 6 " to 9 " height excluding pollybag	NOS	28	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

312	R2-GW-5-122	Pentas karmesiana Red Pentas 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
313	R2-GW-5-123	Phyllanthus nivosus Snow Bush 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
314	R2-GW-5-124	Pisonia alba Pisonia 6 " to 9 " height excluding pollybag	NOS	26	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
315	R2-GW-5-125	Plumbago auriculata Chitrak / Plumbago 6 " to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
316	R2-GW-5-126	Punica granatum cv. Nana Mini Pomegranate 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
317	R2-GW-5-127	Ravenia spectabilis Limonia 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
318	R2-GW-5-128	Russelia juncea Weeping Mary 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
319	R2-GW-5-129	Russelia juncea Yellow Weeping Mary 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
320	R2-GW-5-130	Tabernaemontana coron Single / double Tagar 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
321	R2-GW-5-131	Philodendron Ceylon 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
322	R2-GW-5-132	Phyllanthus 6 " to 9 " height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
323	R2-GW-5-133	Hemigraphis colorata hemigraphis 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

324	R2-GW-5-134	Pilea cadeiri Aluminium plant 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
325	R2-GW-5-135	Pilea microphylla 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
326	R2-GW-5-136	Pilea muscosa 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
327	R2-GW-5-137	Pilea serpyllacea 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
328	R2-GW-5-138	Altanenthera red Ground cover Red bhaji 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
329	R2-GW-5-139	Altanenthera Green Ground cover White varigated 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
330	R2-GW-5-140	Altanenthera varigated Ground cover Red varigated 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
331	R2-GW-5-141	Portulaca grandiflora Office Time Double 4" to 6" height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
332	R2-GW-5-142	Portulaca olracea Office Time 4" to 6" height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
333	R2-GW-5-143	Ficus repense IVY variegated 4" to 6" height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
334	R2-GW-5-144	Fire firm red Fire Firm Red 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
335	R2-GW-5-145	Roheo discolor Rhoeo Nana 4" to 6" height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

336	R2-GW-5-146	Roheo discolor Rhoeo Tall 4" to 6" height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
337	R2-GW-5-147	Brahmi Brahmi 6 " to 9 " height excluding pollybag	NOS	32	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
338	R2-GW-5-148	Schefflera 12" to 18 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
339	R2-GW-5-149	Sedum S. 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
340	R2-GW-5-150	Semecio contusus 6 " to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
341	R2-GW-5-151	Setcreasea purpurea Purple Herb 6 " to 9 " height excluding pollybag	NOS	24	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
342	R2-GW-5-152	Spathiphyllum cupida/petite 6 " to 9 " height excluding pollybag	NOS	48	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
343	R2-GW-5-153	Tradescantia albiflora Trade., ThickStrip 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
344	R2-GW-5-154	Tradescantia fluminensis Trade Thin Strip 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
345	R2-GW-5-155	Spathiphyllum hybrid 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
346	R2-GW-5-156	Mini tagar 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
347	R2-GW-5-157	Thuja compacta 3' to 4' height excluding pollybag	NOS	48	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

348	R2-GW-5-158	Verbena 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
349	R2-GW-5-159	Waddlea trilobata 3 " to 4 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
350	R2-GW-5-160	Zebrina pendula 3 " to 4 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
351	R2-GW-5-161	Arundodonax verricosa 6 " to 9 " height excluding pollybag	NOS	25	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
352	R2-GW-5-162	Ipomia batatus Golden ipomia 6 " to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
353	R2-GW-5-163	Lantana variegated Variegated leaf 6 " to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
354	R2-GW-5-164	Hypoestes sanguinolenta 6 " to 9 " height excluding pollybag	NOS	25	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
355	R2-GW-5-165	Bismarckia nobilis Poted Plastic Pots dia .24" on top plant height 3 ft excluding pot	NOS	1725	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in 24" plastic pot .
356	R2-GW-5-166	Bismarckia nobilis 3 ft height excluding pollybag	NOS	1596	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
357	R2-GW-5-167	Aglaonema commutatum 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
358	R2-GW-5-168	Alpinia speciosa 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
359	R2-GW-5-169	Caladium hortulanum 6 " to 9 " height excluding pollybag	NOS	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

360	R2-GW-5-170	Callistephus chinensis 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
361	R2-GW-5-171	Chamaedorea metallica Plastic Pot 18" at top and plant height 2 ft. 6 "	NOS	920	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in 18" plastic pot.
362	R2-GW-5-172	Chamaedorea metallica 2' height excluding pollybag	NOS	403	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
363	R2-GW-5-173	Chrysalidocarpus lutezens Plastic Pot 18" at top and plant height 2 ft. 6 "	NOS	460	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in 18" pot.
364	R2-GW-5-174	Chrysalidocarpus lutezens 3' height excluding pollybag	NOS	173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
365	R2-GW-5-175	Cycas revolute Plastic Pot 18" at top and plant height 3 "	NOS	3220	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in 18" plastic pot.
366	R2-GW-5-176	Cycas revolute 3' height excluding pollybag	NOS	1380	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
367	R2-GW-5-177	Cyrtostachys renda Plastic Pot 18" at top and plant height 2 ft. 6 "	NOS	518	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in 18" plastic pots.
368	R2-GW-5-178	Cyrtostachys renda 3 ' Height excluding pollybag	NOS	173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
369	R2-GW-5-179	Dieffenbachia Ceylon 6 " to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
370	R2-GW-5-180	Dracaena colorama 9" to 12" height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
371	R2-GW-5-181	Euphorbia pulcherrima 12" to 18" height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

372	R2-GW-5-182	Furcurea gigantea Pot 18" at top and plant height 2 ft. 6 "	NOS	460	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in 18" plastic pot.
373	R2-GW-5-183	Furcurea gigantea plant height 2 ft. 6 "	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
374	R2-GW-5-184	Gerbera hybrids tissue culture 6 " to 9 " height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
375	R2-GW-5-185	Impatiens walleriana 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
376	R2-GW-5-186	Ipomea harsifolia 6 " to 9 " height excluding pollybag	NOS	48	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
377	R2-GW-5-187	Jacquemontia 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
378	R2-GW-5-188	Jasminum officinanalisis 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
379	R2-GW-5-189	Kalanchoe blossfeldiana 6 " to 9 " height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
380	R2-GW-5-190	Monstera deliciosa 6 " to 9 " height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
381	R2-GW-5-191	Monstera obliqua 6 " to 9 " height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
382	R2-GW-5-192	Nephrolepis aurea 6 " to 9 " height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
383	R2-GW-5-193	Nephrolepis biserrata 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

384	R2-GW-5-194	Nephrolepis cordifolia 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
385	R2-GW-5-195	Passiflora carrulea 6 " to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
386	R2-GW-5-196	Verbena white 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
387	R2-GW-5-197	Petunia grandiflora various colour 4 " to 6 " height at flowering stage excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
388	R2-GW-5-198	Phonix palm 4 ' Ft. height excluding pollybag	NOS	2530	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
389	R2-GW-5-199	Pink singonium 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
390	R2-GW-5-200	Piper betel 6 " to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
391	R2-GW-5-201	Plumeria acutifolia 4 ' Ft. height excluding pollybag	NOS	345	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
392	R2-GW-5-202	Plumeria alba 4 ' Ft. height excluding pollybag	NOS	288	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
393	R2-GW-5-203	Plumeria rubra 4 ' Ft. height excluding pollybag	NOS	288	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
394	R2-GW-5-204	Pytostegia vemusta 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
395	R2-GW-5-205	Quisqualis indica 6 " to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

396	R2-GW-5-206	Salvia splendens 6 " to 9 " height at flowering stage excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
397	R2-GW-5-207	Schampegne palm 4 ' Ft. height excluding pollybag	NOS	3666	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
398	R2-GW-5-208	Tagetes erecta 6 " to 9 " height excluding pollybag	NOS	64	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
399	R2-GW-5-209	Thunburgia fragrans 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
400	R2-GW-5-210	Thurburgia laurifolia 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
401	R2-GW-5-211	Vernena 6 " to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
402	R2-GW-5-212	Vinca Spp. Hybrid 6 " to 9 " height at flowering stage excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
403	R2-GW-5-213	Washingtonia palm 3' to 4' height excluding pollybag	NOS	5520	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
404	R2-GW-5-214	Song Of India 6 " to 9 " height excluding pollybag	NOS	127	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
405	R2-GW-5-215	Ficus Purvila 6 " to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
406	R2-GW-5-216	Cuphea Blue 6 " to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
407	R2-GW-5-217	Zafer Lily 6 " to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

408	R2-GW-5-218	Brassia Actinophylla 6 " to 9 " height excluding pollybag	NOS	127	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
409	R2-GW-5-219	Silver Yucca 9 " to 12 " height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
410	R2-GW-5-220	Ticoma Gavdi Chavdi 9 " to 12 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
411	R2-GW-5-221	Bambusa multiplex 12" height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
412	R2-GW-5-222	Bambusa Species 12 " to 18 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
413	R2-GW-5-223	Bambusa ventricosa 12 " to 18 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
414	R2-GW-5-224	Bambusa vulgaris 12 " to 18 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
415	R2-GW-5-225	Lagerstomia indica 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
416	R2-GW-5-226	Lagerstomia throlie 4' to 5 ' height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
417	R2-GW-5-227	Lagerstomia falsereginie 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
418	R2-GW-5-228	Lagerstomia speciosa 4' to 5 ' height excluding pollybag	NOS	83	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
419	R2-GW-5-229	Acacia arubica Babul 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

420	R2-GW-5-230	Acacia mangium Austrelian Acacia 4' to 5 ' height excluding pollybag	NOS	138	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
421	R2-GW-5-231	Adensonia digitata Gorukhchinch 4' to 5 ' height excluding pollybag	NOS	127	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
422	R2-GW-5-232	Adinantha pavonina Ratnagunj 4' to 5 ' height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
423	R2-GW-5-233	Alstonia scholaris Satveen, Davil's Tree 4' to 5 ' height excluding pollybag	NOS	121	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
424	R2-GW-5-234	Amoora rohituk Rohituk 4' to 5 ' height excluding pollybag	NOS	104	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
425	R2-GW-5-235	Anthocephalus cadamba Cadamba 4' to 5 ' height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
426	R2-GW-5-236	Areca catechu Kath 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
427	R2-GW-5-237	Azadiracta indica Neem 4' to 5 ' height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
428	R2-GW-5-238	Barringtonia acutangula 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
429	R2-GW-5-239	Barringtonia speciosa 4' to 5 ' height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
430	R2-GW-5-240	Bauhinia blackeana Kanchan 4' to 5 ' height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
431	R2-GW-5-241	Bauhinia variegata Kanchan 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

432	R2-GW-5-242	Bignonia megapotomica Kanchan 4' to 5 ' height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
433	R2-GW-5-243	Bombax mulbaricum Kateshevar 4' to 5 ' height excluding pollybag	NOS	71	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
434	R2-GW-5-244	Brownia Coccinia 4' to 5 ' height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
435	R2-GW-5-245	Caesalpinia corairia Dividivi 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
436	R2-GW-5-246	Callistemon viminalis Bottle brush 4' to 5 ' height excluding pollybag	NOS	106	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
437	R2-GW-5-247	Calophyllum inophyllum Undi 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
438	R2-GW-5-248	Cassia fistula Amaltas, Indian laburnum 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
439	R2-GW-5-249	Cassia javanica Java cassia 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
440	R2-GW-5-250	Cassia marginata Cassia 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
441	R2-GW-5-251	Casurina equisetifolia Casurina 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
442	R2-GW-5-252	Ceiba pentandra Shevar 4' to 5 ' height excluding pollybag	NOS	82	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
443	R2-GW-5-253	Colvillea racemosa 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
444	R2-GW-5-254	Cordia Sebastina 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

445	R2-GW-5-255	<i>Cordia mixa</i> Bhokar 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
446	R2-GW-5-256	<i>Couropita guianensis</i> 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
447	R2-GW-5-257	<i>Crysophyllum cainito</i> 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
448	R2-GW-5-258	<i>Dalbargia sisoo</i> 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
449	R2-GW-5-259	<i>Dellinia indica</i> Karmal 4' to 5 ' height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
450	R2-GW-5-260	<i>Dellinia pentagyna</i> 4' to 5 ' height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
451	R2-GW-5-261	<i>Delonix regia</i> Gulmohar 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
452	R2-GW-5-262	<i>Derris indica</i> (<i>Pongamia pinnata</i>) Karanj 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
453	R2-GW-5-263	<i>Diospyrous embriopteris</i> Temburni 4' to 5 ' height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
454	R2-GW-5-264	<i>Aegle marmelos</i> Bel 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
455	R2-GW-5-265	<i>Emblica officinalis</i> 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
456	R2-GW-5-266	<i>Erithrina indica</i> Pangara 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

457	R2-GW-5-267	Eucalyptus globosa Nilgiri 4' to 5 ' height excluding pollybag	NOS	83	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
458	R2-GW-5-268	Ficus bengalensis Wad 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
459	R2-GW-5-269	Ficus panda 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
460	R2-GW-5-270	Ficus religiosa Pimple 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
461	R2-GW-5-271	Filicium decipiens 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
462	R2-GW-5-272	Garunia xanthochymus 4' to 5 ' height excluding pollybag	NOS	104	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
463	R2-GW-5-273	Gliricidia muculata Undirmar 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
464	R2-GW-5-274	Gmelina arboria Shivan 4' to 5 ' height excluding pollybag	NOS	83	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
465	R2-GW-5-275	Grevellia robusta 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
466	R2-GW-5-276	Hardwikiya pinnata Anjan 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
467	R2-GW-5-277	Hetroptagrna roxburghii Varus 4' to 5 ' height excluding pollybag	NOS	97	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
468	R2-GW-5-278	Holoptelia integrifolia 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
469	R2-GW-5-279	Jakaranda mimosifolia Nilmohar 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

470	R2-GW-5-280	Kigelia pinnata Sausage Tree 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
471	R2-GW-5-281	Klenhovia hospita4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
472	R2-GW-5-282	Lagerstroemia speciosa 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
473	R2-GW-5-283	Mellaleuca leucodendron Bhojpatra 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
474	R2-GW-5-284	Mangifera indica Mango 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
475	R2-GW-5-285	Messua ferrea Nagkeshar 4' to 5 ' height excluding pollybag	NOS	104	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
476	R2-GW-5-286	Michelia champaca Son Chapha 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
477	R2-GW-5-287	Millingtonia hortensis Indian Cork, Aakash Neem 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
478	R2-GW-5-288	Mimusops elengi Bakul, Pagoda Tree 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
479	R2-GW-5-289	Parkia biglandulosa chenduPhal 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
480	R2-GW-5-290	Polyalthia longifolia Spreading Ashok 4' to 5 ' height excluding pollybag	NOS	138	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
481	R2-GW-5-291	Polyalthia pendula Ashok 4' to 5 ' height excluding pollybag	NOS	127	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
482	R2-GW-5-292	Pongamia glabra Karanj 4' to 5 ' height excluding pollybag	NOS	63	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

483	R2-GW-5-293	Pterospermum acerifolium 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
484	R2-GW-5-294	Putranjeeva roxburghii Putranjeeva 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
485	R2-GW-5-295	Samanea saman Rain tree 4' to 5 ' height excluding pollybag	NOS	104	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
486	R2-GW-5-296	Saraka indica Sita Ashok 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
487	R2-GW-5-297	Spathodea companulata Fountain Tree, Bahava 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
488	R2-GW-5-298	Sterculia alata Chinese Badam 4' to 5 ' height excluding pollybag	NOS	94	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
489	R2-GW-5-299	Sterculia foetida Jangli Badam 4' to 5 ' height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
490	R2-GW-5-300	Swetania mohagani Mohagani 4' to 5 ' height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
491	R2-GW-5-301	Sygium cumini 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
492	R2-GW-5-302	Tabebuia rosea 4' to 5 ' height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
493	R2-GW-5-303	Tacoma argentina 4' to 5 ' height excluding pollybag	NOS	93	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
494	R2-GW-5-304	Tamarindus indica Chinch 4' to 5 ' height excluding pollybag	NOS	106	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

495	R2-GW-5-305	Tectona grandis Sagvan 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
496	R2-GW-5-306	Terminalia arjuna Arjuna, Sarda 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
497	R2-GW-5-307	Terminalia catappa Deshi Badam 4' to 5 ' height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
498	R2-GW-5-308	Alstonia scholaris Satveen 10' to 12' height and 6 “ girth excluding pollybag	NOS	920	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
499	R2-GW-5-309	Anthocephalus cadamba Kadamb 10' to 12' height and 6 “ girth excluding pollybag	NOS	1208	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
500	R2-GW-5-310	Azadiracta indica Neem 10' to 12' height and 6 “ girth excluding pollybag	NOS	1185	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
501	R2-GW-5-311	Bahunia purpurea Kanchan 10' to 12' height and 6 “ girth excluding pollybag	NOS	863	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
502	R2-GW-5-312	Barringtonia spaciola 10' to 12' height and 6 “ girth excluding pollybag	NOS	1265	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
503	R2-GW-5-313	Roystonea regia Bottlepalm 10' to 12' height and 6 “ girth excluding pollybag	NOS	1725	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
504	R2-GW-5-314	Cassia fistula Bahava 10' to 12' height and 6 “ girth excluding pollybag	NOS	1208	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
505	R2-GW-5-315	Casurina equisetifolia Casurina 10' to 12' height and 6 “ girth excluding pollybag	NOS	863	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
506	R2-GW-5-316	Cocos nucifera Coconut 10' to 12' height and 6 “ girth excluding pollybag	NOS	1380	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

507	R2-GW-5-317	Cordia cebastina 10' to 12' height and 6 " girth excluding polybag	NOS	863	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
508	R2-GW-5-318	Delbergia sisoo Shisam 10' to 12' height and 6 " girth excluding polybag	NOS	805	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
509	R2-GW-5-319	Filicum decipiens Fern Tree 10' to 12' height and 6 " girth excluding polybag	NOS	2703	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
510	R2-GW-5-320	Ficus bengalensis Wad 10' to 12' height and 6 " girth excluding polybag	NOS	1265	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
511	R2-GW-5-321	Ficus religiosa Peepal 10' to 12' height and 6 " girth excluding polybag	NOS	1323	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
512	R2-GW-5-322	Foxtail palm 10' to 12' height and 6 " girth excluding polybag	NOS	3220	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
513	R2-GW-5-323	Gunj 10' to 12' height and 6 " girth excluding polybag	NOS	1150	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
514	R2-GW-5-324	Jacaranda mimosifolia Neelmohar 10' to 12' height and 6 " girth excluding polybag	NOS	776	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
515	R2-GW-5-325	Kigellia 10' to 12' height and 6 " girth excluding polybag	NOS	656	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
516	R2-GW-5-326	Garcinia Kokam indica 10' to 12' height and 6 " girth excluding polybag	NOS	1208	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
517	R2-GW-5-327	Largestromia indica Taman 10' to 12' height and 6 " girth excluding polybag	NOS	805	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
518	R2-GW-5-329	Millingtonia hortensis Nagkeshar 10' to 12' height and 6 " girth excluding polybag	NOS	403	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.
519	R2-GW-5-330	Mimosops elengi Bakul 10' to 12' height and 6 " girth excluding polybag	NOS	1208	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in polybag.

520	R2-GW-5-331	Parkia biglandulosa Chendu phal 10' to 12' height and 6 " girth excluding pollybag	NOS	863	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
521	R2-GW-5-332	Peltophorum pheruginum Peltophorum 10' to 12' height and 6 " girth excluding pollybag	NOS	1208	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
522	R2-GW-5-333	Spathodia companulatta Fountain Tree 10' to 12' height and 6 " girth excluding pollybag	NOS	863	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
523	R2-GW-5-334	Swetania mahogani Mahogani 10' to 12' height and 6 " girth excluding pollybag	NOS	1035	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
524	R2-GW-5-335	Tabubia rosea Tabubia 10' to 12' height and 6 " girth excluding pollybag	NOS	978	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
525	R2-GW-5-336	Terminalia arjuna Arjun 10' to 12' height and 6 " girth excluding pollybag	NOS	1173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
526	R2-GW-5-337	Terminalia montana 10' to 12' height and 6 " girth excluding pollybag	NOS	1265	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
527	R2-GW-5-338	Thespecia populnia Bhendi 10' to 12' height and 6 " girth excluding pollybag	NOS	362	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
528	R2-GW-5-339	Thevetia Bitti 10' to 12' height and 6 " girth excluding pollybag	NOS	690	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
529	R2-GW-5-341	Citronella Sp. 6 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
530	R2-GW-5-342	Cyperus alternifolius 6 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
531	R2-GW-5-343	Clerodendrum inerme 6 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

532	R2-GW-5-344	Ophiopogon japonicus brown 6 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
533	R2-GW-5-345	Ophiopogon jaburan white 6 " height excluding pollybag	NOS	20	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
534	R2-GW-5-346	Pennisetum Nueppeli white 6 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
535	GW-5-347	zoysia species 12 " bag	NOS	34	Lawn should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
536	R2-GW-5-348	Supply of Diesel water tanker having (Minimum 10,000 ltr. Capacity) for watering garden T. I Central Median, afforestation with pump & 100 ft pipe including Cost of Water	per Shift	1475	Supply of Diesel water tanker having (Minimum 10,000 ltr. Capacity) for watering garden T. I Central Median, afforestation with pump & 100 ft pipe including Cost of Water
537	R2-GW-5-350	Supply of lorry with 4 labours for transportation of 10 cu. m. capacity for 8 hr. shift	per Shift	8260	Supply of lorry with 4 labours for transportation of 10 cu. m. capacity for 8 hr. shift
538	R2-GW-5-351	Hiring of Crane for transplanting of trees of 20 ton load capacity per shift without labour	per Shift	5360	Hiring of Crane for transplanting of trees of 20 ton load capacity per shift without labour
539	R2-GW-5-354	Supply of J.C.B. with bucket	Hr.	959	Supply of J.C.B. with bucket
540	R2-GW-5-355	Supply of cocopit	kg	9	Supply of cocopit
541	R2-GW-5-356	Supply of vermicompost	kg	7	Supply of vermicompost
542	R2-GW-5-357	Appointment of Security guard	person/shif t/month	18541	Security guard in proper clean and full uniform with Cane . Physically fit between 21 to 50 old, height should not be less than 5'6" and chest 36".
543	R2-GW-6-1	Excavation for Planting of Lawn/ Shrubs/ Creeper/ Climbers/ Ground Cover on Soft Surface – Digging of Soft surface up to 30 Cm. Depth and removal of excavated material from site by contractor.	SqM	156	Digging, removal of excavated material up to 30 cm depth on soft surface like soil, Murum, Loading and unloading and Transporting Excavated material form site out of Jurisdiction of MCGM Or at site designated by site incharge
544	R2-GW-6-2	Excavation for Planting of Lawn/ Shrubs/ Creeper/ Climbers/ Ground Cover on Hard Surface – Digging of Hard surfacelike concrete, tar, Paved area up to 30 Cm. Depth and removal of excavated material from site by contractor.	SqM	187	Digging, removal of excavated material up to 30 cm depth on Hard surface like concrete, tar, paved area, Loading ,unloading and Transporting Excavated material form site out of Jurisdiction of MCGM Or at site designated by site incharge

545	R2-GW-6-3	Restoration of soil – Excavation of Top soil up to 30 Cm. Depth in existing Gardens , Removal of 15 cm top layer of unfertile soil and restore 15 cm fertile soil alongwith 15 cm new RHE , CDM in 2:1 propoertion at site as directed by site incharge.	Sqm	302	Digging up to 30 cm depth on existing garden soil, Removal of 15 cm top layer of unfertile soil and restore 15 cm fertile soil alongwith 15 cm new RHE , CDM in 2:1 proportion at site as directed by site incharge. Loading and unloading and Transporting Excavated unwanted soil form site out of Jurisdiction of MCGM Or at site designated by site incharge
546	R2-GW-7-1	Preparation of ground for planting on lawn / shrubs/ ground cover/ creeper/ climbers – Supply and spreading of Red Hill Earth and cow dung mannure in 2:1 proportion up to 30 Cm Depth (Excluding cost of lawn/ Shrubs/Creepers/ Climbers/ ground covers)	SqM	378	Suply and Spreading of Red Hill Earth and Cow Dung Mannure in 2:1 Proportion up to 30 cm. Depth. Application of suitable pesticides and fungicides withRHE and CDM.
547	R2-GW-7-2	Preperatory Tillage Practices for planting of lawn/ shrubs/ creepers/ climbers/ ground covers (Excluding cost of water)	SqM	10	Mixing and leveling of Mixture of Red hill earth and cow dung manure, Watering for 30 days at every alternate day , weeding at every 10 days interval on prepared ground till one month. Rolling with light weight roller for levelling of soil as per required landscape, loosening of top layer at the time of plantation. Item should be operated at plot where water fascilty is available.
548	R2-GW-7-3	Preperatory Tillage Practices for planting of lawn/ shrubs/ creepers/ climbers/ ground covers :- Mixing and leveling of Mixture of Red hill earth and cow dung manure , Watering for 30 days at every alternate day , weeding at every 10 days interval on prepared ground till one month . [Including cost of water]	SqM	25	Mixing and leveling of Mixture of Red hill earth and cow dung manure, Watering for 30 days at every alternate day @ 6 lit / sq. Mtr., weeding at every 10 days interval on prepared ground till one month (three weeding). Rolling with light weight roller for levelling of soil layer as per required landscape loosening of top layer at the time of plantation. Water provission should be made available by the contractor.
549	R2-GW-7-4	Planting of Phosphulum lawn- Planting of lawn by dibbling method on Prepared ground (Phosphulum lawn)	SqM	179	Loosening of top layer of soil ,Planting of Phosphulum lawn by dibbling method , Lawn suckers should be healthy free from pest and diseases , plantation should be done at 2" distance, Immidiate watering after plantation.Maintenacne for one month without extra cost. Feeling of casualty if any without extra cost during free maintenance period. Entire lawn area should be densely covered within 45 days.
550	R2-GW-7-5	Planting of saint Augustin lawn- Planting of lawn by dibbling method on Prepared ground (saint augustin lawn)	SqM	262	Loosening of top layer of soil ,Planting of Saint Augustine lawn by dibbling method , Lawn suckers should be healthy free from pest and diseases , plantation should be done at 2" distance, Imidieat watering after plantation.Maintenacne for one month without extra cost. Feeling of casualty if any without extra cost during free maintenance period.Entire lawn area should be densely coverd within 45 days.

551	R2-GW-7-6	Providng , Fixing and Preparation of Vertical biowall frame with black planters on prepared steel frame or any other metallic frame	Sqm	1413	Fixing of Vertical Biowall frame on prepared steel or any other metallic frame or wall having black colour planters Feeling of Vermicompost and Cocopeat in Planters in 1:1 proportion and panting a Shrub/Creeper/ Climbers. Excluding Cost of plant and excluding cost of steel or metallic frame on which biowall tobe install.
552	R2-GW-7-7	Providng , Fixing and Preparation of Vertical biowall frame with colourfull planters on prepared steel frame or any other metallic frame	Sqm	1706	Fixing of Vertical Biowall frame on prepared steel or any other metallic frame or wall having black colour planters. Feeling of Vermicompost and Cocopeat in Planters in 1:1 proportion and pant a Shrub/Creeper/ Climbers. Excluding cost of Cost of plant and excluding cost of steel or metallic frame on which biowall tobe install.
553	R2-GW-7-8	Providng , Fixing and Preparation of Vertical biowall planters only , on prepared steel frame or any other metallic frame	No.	102	Fixing of Vertical biowall planters on already prepaired steel or any other metallic frame or wall having colourfull planters of 15" size .Feeling of Vermicompost and Cocopeat in Planters in 1:1 proportion and pant a Shrub/Creeper/ Climbers.(Basic Unit 1000 planters) Excluding cost of Cost of plant and excluding cost of steel or metallic frame on which biowall tobe install.Execution of Item No. R2-GW-9-17 & R2-GW-9-18 in Large scale. (Excluding cost of plants and excluding cost of metallic frame)
554	R2-GW-7-9	Supply and stacking of Red Hill Earth	CuM.	1058	Red hill earth free from graass, stones, rubbles redish in colour pass through 5 mm sieve
555	R2-GW-7-10	Supply and stacking of Cow dung Mannure	CuM.	1055	Cow dung Mannure should be bownish in colour free from grass, free from pest and disease imidietly treated with pesticide and fungicides after delivery .
556	R2-GW-7-11	Supply and Spreading of Red Hill Earth	CuM.	1283	Red hill earth free from graass, stones, rubbles redish in colour pass through 5 mm sieve and spreading of red hill earth at site location/ plot and rolling as directed by site incharge
557	R2-GW-7-12	Supply and Spreading of Cow Dung Manure	CuM.	1281	Cow dung Mannure should be bownish in colour free from grass, free from pest and disease imidietly treated with pesticide and fungicides after delivery . Spreading of cow dung manure at site location / plot as directed by site incharge
558	R2-GW-7-13	Preparation of Pit and Planting of Tree In Escavated Pit hard surface Excluding cost of Tree.	Nos	1152	Filling of Excavated Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Red Hill Earth and Cow Dung Mannure in 2:1 proportion and pant a tree with Stacking and Preparation of Tree Basin for proper Irrigation . Excluding cost of Tree.

559	R2-GW-7-14	Preparation of Pit and Planting of Tree In Excavated Pit Soft surface Excluding cost of Tree.	Nos	793	Filling of Escavated Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Escavated soil, Red Hill Earth and Cow Dung Mannure in 1:1:1 proportion and pant a tree with Stacking and Preparation of Tree Basin for proper Irrigation. Excluding cost of Tree.
560	R2-GW-7-15	Preperation of Pit and Planting of Tree In Excavated Pit for afforestation . Excluding cost of Tree.	Nos	565	Filling of Escavated Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Red Hill Earth and Cow Dung Mannure in 2:1 proportion and pant a tree with Stacking and Preparation of Tree Basin for proper Irrigation. Excluding cost of Tree.
561	R2-GW-7-16	Providing and Fixing of Readymade High Density Polyethylene(HDPE) Vermibed of 450 GSMVermibed in Gardens having size 12ft.x4ft.x2ft	No.	2574	Providing and Fixing of Readymade High Density Polyethylene(HDPE) Vermibed of 450 GSMVermibed in Gardens having size 12ft.x4ft.x2ft
562	R2-GW-7-17	Providing and Fixing of Shreading machine of 3 HP Motor (2 phase or 3 Phase) for shreading of garden waste in Gardens	No.	66544	Providing of garden waste shredding machine with 2 Phase or 3 phase 3 Horse Power motor , starter, reverse gear having drum diameter 450 mm x 350 mm. charges includes supply installation of machine with wiring job work fixing of as well as electric panel
563	R2-GW-7-18	Providing and Fixing of Shreading machine of 5 HP Motor (2 phase or 3 Phase) for shreading of garden waste in Gardens	No.	99443	Providing of garden waste shredding machine with 3 phase 5 Horse Power motor , starter, reverse gear having drum diameter 500 mm x 300 mm. charges includes supply installation of machine with wiring job work as well as fixing of electric panel.
564	R2-GW-7-19	Maintenance of Lawn Including cost of water	SqM/Month	42	Daily watering to the lawn @ 6 Lit. / Sq.Mtr. ,Weeding , Application of Chemical fertilizers, and pesticided as and when required and as instructed by site incharge, Lawn moving at every 20 days interval in dry season, and at 15 days interval during the monsoon , Edging of lawn at every 20 days , Cutting of lawn by using garden shear as and when require , If any endulation fill it with Mixture of RHE & CDM in 3:1 proportion immediately and laying of lawn carpet on it on the same day,If any vasaalty seen same should be replaced by same variety of lawn without any extra cost. Top dressing of 5 cm Mixture of RHE & CDM in 2:1 proportion once in a year or 2.5 cm twice in a year as instructed by site incharge. Lawn should be lush green , free from pest or disease attack in smooth leveled condition as per landscape design.Cost of water and watering in included.

565	R2-GW-7-20	Maintenance of Vertical biowall Including cost of Water	SqM/Month	72	Daily watering @ 6 Lit. / Sq.Mtr., weeding ,loosening of soil for maintaining the porosity as and when required, Application of Chemical solid and liquid fertilizers at every 15 days interval , and pesticided as and when required and as instructed by site incharge, Pruning as per the desired shape and as instructed by the site incharge, Top dressing of 5 cm once or 2.5 cm twice in a year with Mixture of Cocopeat and vermicompost in 2:1 proportion, plants should be in healthy condition free from pest, disease attack. If any casualty observed same should be replace by the contractor without any extra cost Including cost of water and watering.
566	R2-GW-7-21	Maintenance of Vertical biowall Excluding cost of Water	SqM/Month	50	Daily watering @ 6 Lit. / Sq.Mtr.available in the garden etc., weeding ,loosening of soil for maintaining the porosity as and when required, Application of Chemical solid and liquid fertilizers at every 15 days interval and pesticided as and when required and as instructed by site incharge, Pruning as per the desired shape and as instructed by the site incharge, Top dressing of 5 cm once or 2.5 cm twice in a year with Mixture of Cocopeat & vermicompost in 2:1 proportion, plants should be in healthy condition free from pest, disease attack. If any casualty observed same should be replace by the contractor without any extra cost. Item should be operated where MCGM water supply is available.
567	R2-GW-7-22	Maintenance of Ground cover, creeper , climbers Including cost of water	SqM/Month	51	Daily watering @ 6 Lit. / Sq.Mtr.available in the garden etc., weeding ,loosening of soil for maintaining the porosity as and when required, Application of Chemical fertilizers, and pesticided as and when required and as instructed by site incharge, Pruning as per the desired shape and as instructed by the site incharge, Top dressing of 5 cm or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion, plants should be in healthy condition free from pest, disease attack. If any casualty observed same should be replace by the contractor without any extra cost Including cost of water and watering.

568	R2-GW-7-23	Maintenance of Shrubs/ Hedges/ Edges Including cost of water	SqM/Month	72	Daily watering @ 6 Lit. / Sq.Mtr.available in the garden , weeding ,loosening of soil for maintaining the porosity as and when required, Application of Chemical fertilizers, and pesticided as and when required and as instructed by site incharge, Pruning as per the desired shape and as instructed by the site incharge, Top dressing of 5 cm once in a year or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion once in a year , plants should be in healthy condition free from pest, disease attack. If any casualty observed same should be replace by the contractor without any extra cost . Item should be operated wherever water supply is available through MCGM. For Topiaries of plant, shape and size of the topiery should be maintained as it is or at higher side of the size and shape at the time of devepoment work or at the time of starting of maintenance period .Including cost of water and watering.
569	R2-GW-7-24	Maintenance of Newly planted Trees Including cost of water	No. of tree per month	166	Watering of tree @12 Lit. Per tree . Weeding, aplication of Fertilizers and pesticide as and when required,loosening of soil for maintaining the porosity , stacking of tree. Removal of lower side shoots time to time for proper growth of the tree Preparation of tree basins in a soil . If any casualty found same should be replaced without extra cost.Top dressing of 5 cm or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion, plants should be in healthy condition free from pest, disease attack. Including cosst of watering and water.
570	R2-GW-7-25	Sweeping of Garden/ RG / PG per Sqm/Per month	SqM/Month	2	Sweeping leaf mould, papers and other garbage of Garden twice in a day before opening times of garden seegragation of dry and wet waste , dry swaste should be send in municipal garbage collection vehicle and wet garden swaste should be seperated out for processing of vermicomposting or composting.

571	R2-GW-7-26	Operation and Maintenance of vermicomposting bed Excluding cost of water	No. of bed per month	1012	Drying of leaf Mould, small twigs of garden wast, Shreading of dry leaf mould through shreading machine , Spreading of ulternet layers 2.5 Inches each of shreaded leaf mould and cow dung manure in a vermicomposting bed, watering of vermicomposting bed @ 25 lit per bed per day, Spreading of Earthworm Eisonia Foetide Species. Each vermicomposting cycle should be completed in 45 days and 2.72 Cu.mtr vermicompost should be generated from each Composting Pit from each cycle. Such 8 Cycle should be completed in each year.Water provided by MCGM.
572	R2-GW-7-27	Operation and Maintenance of vermicomposting bed Including cost of water	No. of bed per month	1114	Drying of leaf Mould, Shreading of dry leaf mould through sreading machine , Spreading of ulternet layers 2.5 Inches each of shreaded leaf mould and cow dung manure in a vermicomposting bed, watering of vermicomposting bed @ 25 lit per bed per day , Spreading of Earthworm Eisonia Foetide Species. Each vermicomposting cycle should be completed in 45 days and 2.72 Cu.mtr vermicompost should be generated from each Composting Pit from each cycle. Such 8 Cycle should be completed in each year. Water arrangement should be made by the contractor.
573	R2-GW-7-28	Watering to garden / Central median/ traffice is-land, strip garden etc.	Cost per Lit.	0.23	Watering to garden / Central median/ traffic is-land, strip garden etc. Cost including Labour cost for watering .
574	R2-GW-7-29	Maintenance of Open Gym Apparatus / Play apparatus	No. per month	27	Cleaning , Oiling , greasing once in a month.Fitting of loos part, minor repair like scrue ,bolt , belt, chain replacement as and when required.
575	R2-GW-7-30	Cleaning of Urinal	Per seat / Month	1483	Cleaning of Urinal seat daily by using water, Phenyl , Anti Bacterial chemicals , providing Soap with soap case for washing of hands of users, providing phenyl tablets in urinals. Urinal area must be neat and clean free from any dirty smell at any point of time.
576	R2-GW-7-31	Cleaning of Toiletblocks in Gardens	Per seat / Month	1854	Cleaning of Toilet seat daily by using water, Phenyl , Anti Bacterial chemicals , providing Soap with soap Case for washing of hands of users. providing air freshner in solid form. Toilet area must be clean and clean free from any dirty smell at any point of time.

577	R2-GW-7-32	Maintenance of Lawn in Road central median / road Divider excluding cost of water	Month	29	Daily watering to the lawn @ 6 Lit. / Sq.Mtr. ,Weeding , Application of Chemical fertilizers, and pesticided as and when required and as instructed by site incharge, Lawn moving at every 20 days interval in dry season, and at 15 days interval during the mansoon , Edging of lawn at every 20 days , Cutting of lawn by using garden shear as and when require , If any endulation fill it with Mixture of RHE & CDM in 2:1 proportion imidietly and laying of lawn carpet on it on the same day,If any casualty seen same should be replaced by same variety of lawn without any extra cost. Top dressing of 5 cm Mixture of RHE & CDM in 2:1 proportion once in a year or 2.5 cm twice in a year as instructed by site incharge. Lawn should be lush green , free from pest or disease attack in smooth leveled condition as per landscape design. One labour should be always stand with Red flag for controlling and diverting traffice while any maintenance or watering activity going on in the divider. Item should be operated where MCGM water supply is available.
578	R2-GW-7-33	Maintenance of Lawn in a Road central median / divider Including cost of water	Month	50	Daily watering to the lawn @ 6 Lit. / Sq.Mtr. ,Weeding , Application of Chemical fertilizers, and pesticided as and when required and as instructed by site incharge, Lawn moving at every 20 days interval in dry season, and at 15 days interval during the monsoon , Edging of lawn at every 20 days , Cutting of lawn by using garden shear as and when require , If any endulation fill it with Mixture of RHE & CDM in 3:1 proportion imidietly and laying of lawn carpet on it on the same day,If any casualty seen same should be replaced by same variety of lawn without any extra cost. Top dressing of 5 cm Mixture of RHE & CDM in 2:1 proportion once in a year or 2.5 cm twice in a year as instructed by site incharge. One labour should be always stand with Red flag for controlling and diverting traffic while any maintenance or watering activity going on in the divider.Lawn should be lush green , free from pest or disease attack in smooth leveled condition as per landscape design.Cost of water and watering is included.

579	R2-GW-7-34	Maintenance of Shrubs/ Hedges/ Edges in a Road central median / divider Excluding cost of water	Month	63	Daily watering @ 6 Lit. / Sq.Mtr.available in the garden , weeding ,loosening of soil for maintaining the porosity as and when required, Application of Chemical fertilizers, and pesticided as and when required and as instructed by site incharge, Pruning as per the desired shape and as instructed by the site incharge, Top dressing of 5 cm once in a year or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion once in a year , plants should be in healthy condition free from pest, disease attack. If any casualty observed same should be replace by the contractor without any extra cost . Item should be operated wherever water supply is available through MCGM. For Topiaries of plant, shape and size of the topiery should be maintained as it is or at higher side of the size and shape at the time of devepoment work or at the time of starting of maintenance period .One labour should always stand with Red flag for controlling and diverting traffic while any maintenance or watering activity going on in the divider.Item should be operated where MCGM water supply is available
580	R2-GW-7-35	Maintenance of Shrubs/ Hedges/ Edges in the central median/ road divider Including cost of water.	Month	82	Daily watering @ 6 Lit. / Sq.Mtr.available in the garden , weeding ,loosening of soil for maintaining the porosity as and when required, Application of Chemical fertilizers, and pesticided as and when required and as instructed by site incharge, Pruning as per the desired shape and as instructed by the site incharge, Top dressing of 5 cm once in a year or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion once in a year , plants should be in healthy condition free from pest, disease attack. If any casualty observed same should be replace by the contractor without any extra cost . Item should be operated wherever water supply is available through MCGM. For Topiaries of plant, shape and size of the topiery should be maintained as it is or at higher side of the size and shape at the time of devepoment work or at the time of starting of maintenance period .One labour should always stand with Red flag for controlling and diverting traffic while any maintenance or watering activity going on in the divider.Item includes cost of water and watering.
581	R2-GW-8-1	Trimming of trees below 2' girth	No.	1223	Trimming of trees below 2' girth as directed by site incharge, dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place

582	R2-GW-8-2	Trimming of trees having girth between 2' to 5'	No.	2548	Trimming of trees below 2' to 5' girth as directed by site incharge.dispose off all the tree cutting material out of MCGM jurisdiction by the cntractor at diesignated place .
583	R2-GW-8-3	Trimming of trees above 5' girth	No.	5097	Trimming of trees above 5' girth as directed by site incharge,dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
584	R2-GW-8-4	Removal of dead trees having girth below 2'	No.	1055	Removal of dead trees having girth below 2',dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
585	R2-GW-8-5	Removal of dead trees having girth between 2' to 5'	No.	2914	Removal of dead trees having girth between 2' to 5',dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
586	R2-GW-8-6	Removal of dead trees having girth above 5'	No.	9286	Removal of dead trees having girth above 5',dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
587	R2-GW-8-7	Removal of easily accessible fallen/dangerous tree having girth below 2'	No.	1870	Removal of easily accessible fallen/dangerous tree having girth below 2' along with alongwith the rootstock,dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
588	R2-GW-8-8	Removal of easily accessible fallen/dangerous tree having girth between 2' to 5'	No.	4006	Removal of easily accessible fallen/dangerous tree having girth between 2' to 5' along with the rootstock,dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
589	R2-GW-8-9	Removal of easily accessible fallen/dangerous tree having girth above 5'	No.	14022	Removal of easily accessible fallen/dangerous tree having girth above 5'alongwith the rootstock,dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
590	R2-GW-8-10	Removal of non accessible fallen/dangerous tree having girth below 2'	No.	2322	Removal of non accessible fallen/dangerous tree having girth below 2' alongwith the rootstock,dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
591	R2-GW-8-11	Removal of non accessible fallen/dangerous tree having girth between 2' to 5'	No.	8608	Removal of non accessible fallen/dangerous tree having girth between 2' to 5' alongwith the rootstock,dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place

592	R2-GW-8-12	Removal of non accessible fallen/dangerous tree having girth above 5'	No.	25825	Removal of non accessible fallen/dangerous tree having girth above 5'alongwith the rootstock,dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
593	R2-GW-8-13	Removal of fruits and fronts of palm trees having height below 25'	No.	1177	Removal of fruits and fronts of palm trees having height below 25',dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
594	R2-GW-8-14	Removal of fruits and fronts of palm trees having height above 25'	No.	1292	Removal of fruits and fronts of palm trees having height above 25',dispose off all the tree cutting material out of MCGM jurisdiction by the contractor at diesignated place
595	R2-GW-8-15	Transplantation of trees below 2' girth at same location	No.	4337	Transplantation of trees below 2' girth at same location, digging of pit of appropriate size , Pruning of tree , watering to the tree one day prior to transpanting date, escavatin around the root zone without disturbing critical root zone area, removal of root ball alongwith Soil ball,tying of jute bag around root zone, Making slurry of RHE CDM in the pit before transpant, Panting of Removed tree in the prepared pit , Imidieate watering, watering till 6 Month. Despos off tree cutting material out of MCGm jurisdiction at designated place.
596	R2-GW-8-16	Transplantation of trees having girth between 2' to 5' at same location	No.	10088	Transplantation of trees between 2' to 5' girth at same location, digging of pit of appropriate size , Pruning of tree , watering to the tree one day prior to transpanting date, escavatin around the root zone without disturbing critical root zone area, removal of root ball alongwith Soil ball,tying of jute bag around root zone, Making slurry of RHE CDM in the pit before transpant, Panting of Removed tree in the prepared pit , Imidieate watering, watering till 6 Month. Despos off tree cutting material out of MCGm jurisdiction at designated place.
597	R2-GW-8-17	Transplantation of trees above 5' girth at same location	No.	15125	Transplantation of trees above 5' girth at same location, digging of pit of appropriate size , Pruning of tree , watering to the tree one day prior to transpanting date, escavatin around the root zone without disturbing critical root zone area, removal of root ball alongwith Soil ball,tying of jute bag around root zone, Making slurry of RHE CDM in the pit before transpant, Panting of Removed tree in the prepared pit , Imidieate watering, watering till 6 Month. Despos off tree cutting material out of MCGm jurisdiction at designated place.

598	R2-GW-8-18	Transplantation of trees below 2' girth at distant location	No.	6705	Transplantation of trees below 2' girth at distant location, digging of pit of appropriate size at site allotted by site incharge , Pruning of tree , watering to the tree one day prior to transplanting date, excavating around the root zone without disturbing critical root zone area, removal of root ball alongwith Soil ball,tying of jute bag around root zone, Making slurry of RHE CDM in the pit before transplant, Planting of Removed tree in the prepared pit , Immediate watering, watering till 6 Month. Dispose off tree cutting material out of MCGM jurisdiction at designated place.
599	R2-GW-8-19	Transplantation of trees having girth between 2' to 5' at distant location	No.	14824	Transplantation of trees between 2' to 5' girth at distant location, digging of pit of appropriate size at site allotted by site incharge , Pruning of tree , watering to the tree one day prior to transplanting date, excavating around the root zone without disturbing critical root zone area, removal of root ball alongwith Soil ball,tying of jute bag around root zone, Making slurry of RHE CDM in the pit before transplant, Planting of Removed tree in the prepared pit , Immediate watering, watering till 6 Month. Dispose off tree cutting material out of MCGM jurisdiction at designated place.
600	R2-GW-8-20	Transplantation of trees above 5' girth at distant location	No.	19861	Transplantation of trees above 5' girth at distant location, digging of pit of appropriate size , Pruning of tree , watering to the tree one day prior to transplanting date, excavating around the root zone without disturbing critical root zone area, removal of root ball alongwith Soil ball,tying of jute bag around root zone, Making slurry of RHE CDM in the pit before transplant, Planting of Removed tree in the prepared pit , Immediate watering, watering till 6 Month. Dispose off tree cutting material out of MCGM jurisdiction at designated place.
601	R2-GW-8-21	Plant Protection measures for tree having girth below 2'	No.	154	Plant Protection measures for tree having girth below 2' by spraying/soil application/root feeding of appropriate pesticides as directed by officer incharge to the whole tree including cost of pesticide.
602	R2-GW-8-22	Plant Protection measures for tree having girth between 2'to 5'	No.	250	Plant Protection measures for tree having girth between 2'to 5' by spraying/soil application/root feeding of appropriate pesticides as directed by officer incharge to the whole tree including cost of pesticide.

603	R2-GW-8-23	Plant Protection measures for tree having girth above 5'	No.	707	Plant Protection measures for tree having girth above 5' by spraying/soil application/root feeding of appropriate pesticides as directed by officer incharge to the whole tree including cost of pesticide.
604	R2-GW-8-24	Applying Lime Geru to tree having girth below 2'	No.	20	Applying Lime Geru to tree having girth below 2' by applying one strip of geru of 1.5 feet and one strip of lime of 1.5 feet from ground level.
605	R2-GW-8-25	Applying Lime Geru to tree having girth between 2' to 5'	No.	27	Applying Lime Geru to tree having girth between 2' to 5' by applying one strip of geru of 1.5 feet and one strip of lime of 1.5 feet from ground level.
606	R2-GW-8-26	Applying Lime Geru to tree having girth above 5'	No.	40	Applying Lime Geru to tree having girth above 5' by applying one strip of geru of 1.5 feet and one strip of lime of 1.5 feet from ground level.
607	R2-GW-9-1	Rounded plastic pot Black Upper dia.30cm lower dia 22 cm height 25 cm	No.	69	Rounded plastic pot Black Upper dia.30cm lower dia 22 cm height 25 cm
608	R2-GW-9-2	Rounded plastic pot Teracota Upper dia.30cm lower dia 22 cm height 25 cm	No.	80	Rounded plastic pot Teracota Upper dia.30cm lower dia 22 cm height 25 cm
609	R2-GW-9-3	Rounded plastic pot Black Upper dia.40cm lower dia 29.5 cm height 33 cm	No.	160	Rounded plastic pot Black Upper dia.40cm lower dia 29.5 cm height 33 cm
610	R2-GW-9-4	Rounded plastic pot Teracota Upper dia.40cm lower dia 29.5 cm height 33 cm	No.	173	Rounded plastic pot Teracota Upper dia.40cm lower dia 29.5 cm height 33 cm
611	R2-GW-9-5	Rounded plastic pot Black Upper dia.60cm lower dia 45.5 cm height 50 cm	No.	765	Rounded plastic pot Black Upper dia.60cm lower dia 45.5 cm height 50 cm
612	R2-GW-9-6	Rounded plastic pot Teracota Upper dia.60cm lower dia 45.5 cm height 50 cm	No.	798	Rounded plastic pot Teracota Upper dia.60cm lower dia 45.5 cm height 50 cm
613	R2-GW-9-7	Rectangular plastic planters black Upper length.60cm lower 29 cm height 27 cm	No.	266	Rectangular plastic planters black Upper length.60cm lower 29 cm height 27 cm
614	R2-GW-9-8	Rectangular plastic planters teracota Upper length.60cm lower 29 cm height 27 cm	No.	299	Rectangular plastic planters teracota Upper length.60cm lower 29 cm height 27 cm
615	R2-GW-9-9	Rectangular plastic planters black Upper length.45cm lower 20 cm height 27 cm	No.	100	Rectangular plastic planters black Upper length.45cm lower 20 cm height 27 cm
616	R2-GW-9-10	Rectangular plastic planters teracota Upper length.45cm lower 20 cm height 27 cm	No.	106	Rectangular plastic planters teracota Upper length.45cm lower 20 cm height 27 cm

617	R2-GW-9-11	Orchid pot plastic Upper dia.13cm lower dia 9 cm height 12 cm	No.	20	Orchid pot plastic Upper dia.13cm lower dia 9 cm height 12 cm
618	R2-GW-9-12	Bonsai oval plastic pot black Upper dia.40cm lower dia 30 cm height 15 cm	No.	80	Bonsai oval plastic pot black Upper dia.40cm lower dia 30 cm height 15 cm
619	R2-GW-9-13	Rounded plastic pot Black Upper dia.70cm lower dia 52 cm height 55 cm	No.	2394	Rounded plastic pot Black Upper dia.70cm lower dia 52 cm height 55 cm
620	R2-GW-9-14	Rounded plastic pot Teracota Upper dia.70cm lower dia 52 cm height 55 cm	No.	2660	Rounded plastic pot Teracota Upper dia.70cm lower dia 52 cm height 55 cm
621	R2-GW-9-15	Cubical plastic pot Black Upper dia.70cm lower dia 55 cm height 65 cm	No.	4123	Cubical plastic pot Black Upper dia.70cm lower dia 55 cm height 65 cm
622	R2-GW-9-16	Cubical plastic pot Teracota Upper dia.70cm lower dia 55 cm height 65 cm	No.	4589	Cubical plastic pot Teracota Upper dia.70cm lower dia 55 cm height 65 cm
623	R2-GW-9-17	Colourfull Plastic Pots for vertical biowall Upper dia.15cm lower dia 12 cm height 15 cm	No.	53	Colourfull Plastic Pots for vertical biowall Upper dia.15cm lower dia 12 cm height 15 cm
624	R2-GW-9-18	Clips for plastic Pots for vertical biowall having 15 cm size	No.	7	Clips for plastic Pots for vertical biowall having 15 cm size
625	R2-GW-10-1	Pendanus thorny (6 " to 9 " height excluding pollybag)	No.	52	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
626	R2-GW-10-2	Pendanus Thornless White Strip (6 " to 9 " height excluding pollybag)	No.	69	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
627	R2-GW-10-3	Varigated Pendanus white strip (12"-15" height excluding pollybag)	No.	75	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
628	R2-GW-10-4	Roses outdoor (Various varieties) - 12 " to 18" height excluding pollybag	No.	63	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
629	R2-GW-10-5	Raphies palm (3' height excluding pollybag with 3 to 4 suckers)	No.	374	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
630	R2-GW-10-6	Golden Cyprus (5' height excluding pollybag)	No.	489	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
631	R2-GW-10-7	Stachytarpheta (6 " to 9 " height excluding pollybag)	No.	33	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
632	R2-GW-10-8	Topiary of Ficus benzamina black (5 ' height excluding pollybag with 5 foliage ball having 2' girth each)	No.	4025	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5 ' height excluding pollybag with 5 foliage ball having 2' girth of each foliage ball.

633	R2-GW-10-9	Topiary Ficus nitida (5 ' height excluding pollybag with 5 foliage ball having 2' girth each)	No.	4025	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5 ' height excluding pollybag with 5 foliage ball having 2' girth of each foliage ball.
634	R2-GW-10-10	Topiary Ficus panda (4' height excluding pollybag with 3 foliage ball having 2' girth each)	No.	4025	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 4' height excluding pollybag with 3 foliage ball having 2' girth of each foliage ball.
635	R2-GW-10-11	Golden Bamboo (3' height excluding pollybag)	No.	115	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
636	R2-GW-10-12	Topiary of Ficus benzamina black(5' to 6 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth)	No.	1725	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
637	R2-GW-10-13	Topiary of Ficus Nitida (5' to 6 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth)	No.	1725	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5' to 6 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth
638	R2-GW-10-14	Topiary of Ficus Panda(3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth)	No.	1265	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth
639	R2-GW-10-15	Golden Bamboo (6 Ft. Tall excluding Pollybag)	No.	173	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
640	R2-GW-10-16	Topiary of Bougainvillea glabra (3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth)	No.	2944	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth.
641	R2-GW-10-17	Poted Phonix palm (Diameter of pot 20" at top and plant height not less than 4' Ft)	No.	2875	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
642	R2-GW-10-18	Anthurium For Indoor plantation (6 " to 9 " height with flowering excluding pollybag with)	No.	201	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
643	R2-GW-10-19	Poted Anthurium for indoor plantation (6 " to 9 " height with flowering excluding 6" Pot)	No.	230	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
644	R2-GW-10-20	X mas tree (4' -5' tall excluding pollybag)	No.	345	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,

645	R2-GW-10-21	Poted X mas tree(5' tall excluding Pot)	No.	460	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
646	R2-GW-10-22	Philodendron xanadu (6 " to 9 " height excluding pollybag)	No.	86	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
647	R2-GW-10-23	Poted Philodendron xanadu (9 " to 12 " height excluding Pot)	No.	86	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
648	R2-GW-10-24	Heliconia rostratais (3'- 4' height excluding polybag)	No.	75	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
649	R2-GW-10-25	Red Ginger (6 " to 9 " height excluding pollybag)	No.	52	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
650	R2-GW-10-26	Canna Durban (6" – 9" height excluding pollybag)	No.	46	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
651	R2-GW-10-27	Rex Bigonia(6 " to 9 " height excluding pollybag)	No.	52	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
652	R2-GW-10-28	Begonia aconitifolia (6 " to 9 " height excluding pollybag)	No.	52	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
653	R2-GW-10-29	Begonia Double lady carol red (6 " to 9 " height excluding pollybag)	No.	46	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
654	R2-GW-10-30	Ravenala Madagascariensis(5' to 6' ft tall excluding pollybag)	No	1150	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
655	R2-GW-10-31	Red Aglonema(6 " to 9 " height excluding pollybag)	No	75	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
656	R2-GW-10-32	Poted Dendrobium Varius variety (6 " to 9 " height excluding pot)	No	259	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
657	R2-GW-10-33	Alocasia Elephant Ears (6 " to 9 " height excluding pollybag)	No	35	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
658	R2-GW-10-34	Cardinal Climber (6 " to 9 " height excluding pollybag)	No	35	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
659	R2-GW-10-35	Clerodendron Thomsoniae (6 " to 9 " height excluding pollybag)	No	46	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
660	R2-GW-10-36	Pyrostegia venusta (6 " to 9 " height excluding pollybag)	No	46	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
661	R2-GW-10-37	Thunbergia grandiflora (6 " to 9 " height excluding pollybag)	No	35	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,

Sheet1

662	R2-GW-10-38	Humming bird vine(6 “ to 9 “ height excluding pollybag)	No	23	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
663	R2-GW-10-39	Antigonon leptous (6 “ to 9 “ height excluding pollybag)	No	40	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
664	R2-GW-10-40	Alocasia Odora (6 “ to 9 “ height excluding pollybag)	No	52	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
665	R2-GW-10-41	Green shed net 25% (25% light penetration)	Sq. Mtr	37	Green shed net 25% (25% light penetration)
666	R2-GW-10-42	Green shed net 50% (50% light penetration)	Sq. Mtr	44	Green shed net 50% (50% light penetration)
667	R2-GW-10-43	Green shed net 75% (75% light penetration)	Sq. Mtr	47	Green shed net 75% (75% light penetration)
668	R2-GW-10-44	Pollysheet for pollyhouse -200 Micron	Sq.Mtr	132	Pollysheet for pollyhouse -200 Micron
669	R2-GW-11-01	Hanging Basket 12 “ diameter at top with 3 chains and compressed cococoir	No.	432	Hanging Basket 12 “ diameter at top with 3 chains and compressed cococoir
670	R2-GW-11-02	Vermiculite	Kg.	213	Vermiculite for agriculture purpose only
671	R2-GW-11-03	Perlite	Kg.	220	Perlite for agriculture purpose only