

SCHEDULE COPY
BRIHANMUMBAI MUNICIPAL CORPORATION
CENTRAL PURCHASE DEPARTMENT
MEDICINE TENDER SECTION
SUPPLY OF DISINFECTANTS, DRESSINGS, CONSUMABLES etc.
BID NO- 7200035952

CONTRACT PERIOD - FROM THE DATE OF SANCTION TO 6 MONTHS

Sr. No.	Description	Unit / Packing	Quantity	Sample Required	Pre-qualifying Documents Required
1	2	3	4	5	6
1	CHLORHEXIDINE (NOT LESS THAN 1.5 % W/V. OR 7.5 % V/V) WITH CETRIMIDE 15%	Per Bottle (1x1000 ml)	450 Bottles	2 Bottles	1. Drug Mfg. Lic & 2. Itemwise WHO-GMP Cft.
2	Parrafin Soft yellow	Per Tin (1x450 gm)	2250 Tins	2 Tins	Drug Mfg. Lic
3	Hydrogen Peroxide 3 %	Per Bottle (1x500 ml)	1125 Bottles	2 Bottles	Drug Mfg. Lic
7	BENZALKONIUM CHLORIDE 20%	Per Can (1x5 ltrs.)	270 Can	2 Can	1. Drug Mfg. Lic & 2. Itemwise WHO-GMP Cft.
8	POVIDONE IODINE FOR SCRUBING CONTAINING PROVIDONE IODINE 7.5- 10% (AVAILABLE IODINE 0.75-1% W/V) WITH NON IONIC DETERGENT	Per Bottle (1x500 ml)	450 Bottles	2 Bottles	1. Drug Mfg. Lic & 2. Itemwise WHO-GMP Cft.
9	SODIUM HYPOCHLORITE SOLUTION U.S.P.	Per Can (1x5ltrs.)	270 Can	2 Can	1. Drug Mfg. Lic & 2. Itemwise WHO-GMP Cft. Or BIS or I.S.I. cft.
10	CHLORHEXIDINE 4 % W/V IN NON-IONIC SURFACTANT BASE. (RATE SHOULD BE QUOTED FOR 500 ML) (SUPPLY IN SUITABLE PACKING OF 5 LIT. CAN	Per Can (1x5ltrs.)	450 Can	2 Can	1. Drug Mfg. Lic & 2. Itemwise WHO-GMP Cft.
11	DETERGENT LIQUID As PER I. S. I. STANDARD	Per Drum (Drum of 20 Ltrs.)	180 Drum	2 Drums	Test Report as per I.S.I. Standard
12	SOLUTION CONTAINING > 2% W/v GLUTARALDEHYDE WITH A POWER ACTIVATOR FREE OF SURFACTANTS WITH STABLE ALKALINE PH FOR 14 DAYS WITH CONCENTRATION DETECTIONS STRIPS (10 STRIPS/ 5 Lit JAR.)	Per Jar (1x5 Ltr. with 10 testing strips)	270 Jar	2 Jars	1. Drug Mfg. Lic & 2. Itemwise WHO-GMP Cft.
13	METHYL SALICYLATE	Per Bottle (1x450 gm)	450 Bottles	2 Bottles	Drug Mfg. Lic
14	CASTOR OIL	Per Tin (1x4 Kg)	90 Tins	2 Tins	Drug Mfg. Lic
15	SALICYLIC ACID	Per Tin (1x450 gm)	90 Tins	2 Tins	Drug Mfg. Lic
16	CRYSTAL VIOLET MEDICINAL USE	Per Packet (1x25 gm)	90 Packets	2 Packets	Drug Mfg. Lic
17	DEXTROSE MONOHYDRATE	Per Packet (1x500 gm)	450 Packets	2 Packets	Drug Mfg. Lic
18	POTASSIUM PERMANGNATE	Per Packet (1x450 gm)	90 Packets	2 Packets	Drug Mfg. Lic
19	SOAP SOLUTION I.S.I.MARK	Per Drum (Drums of 20 Ltr.)	90 Drums	2 Drums	1. Drug Mfg. Lic & 2. ISI Cft.
20	SOLUTION OF CRESOL WITH SOAP (LYSOL)	Per Bottle (1x450 ml)	1350 Bottles	2 Bottles	Drug Mfg. Lic

Sr. No.	Description	Unit / Packing	Quantity	Sample Required	Pre-qualifying Documents Required
1	2	3	4	5	6
21	PARAFFIN LIQUID Sp. Gr.0.865-0.890 I.P.	Per Bottle (1x 450 ml)	450 Bottles	2 Bottles	Drug Mfg. Lic
22	70 % - 80 % ALCHOL BASED SURGICAL DRY HAND ANTISEPTIC WITH 0.5% TO 1 % CHLORHEXIDINE GLUCONATE AND CONTAINING SUITABLE EMOLLIENT AND MOISTURIZER	Per Bottle (1x500 ml)	1350 Bottles	2 Bottles	1. Drug Mfg. Lic & 2. Itemwise WHO-GMP Cft. Valid EN 1500 test report and 3. EN 12791 test report 4. DCGI or CDSCO Approval for Drug or Fixed Dose Combination
23	SURFACE AND ENVIROMENTAL DISINFECTANT EACH 100 ml CONTAINING 1,6 DIHYDROXY 2,5 DIOHEXANE 11.2 gm, GLUTERALDEHYDE 5 gm BENZALKONIUM CHORIDE 5 gm ALKYL UREAR DERIVATIVES 3.00 gm (EFFECTIVITY REPORTS AGAINST HBV/ HIV & T.B. IS NECESSARY)	Per Bottle (1x500 ml)	450 Bottels	2 Bottles	1. Drug Mfg. Lic & 2. Itemwise WHO-GMP Cft. 3. DCGI or CDSCO Approval for Drug or Fixed Dose Combination
24	RAPID TEST FOR DETECTING OF IgM ANTIBODIES TO PATHOGENIC LEPTOSPIRES	Per Kit (1 kit = 1 test)	1350 Kit	2 Nos.	Drug Mfg. Lic
25	VDRL ANTIGEN (RPR CARD TEST) CARBON PARTICLE BASED TEST WITH PLASTIC BOARDS. RESULT TO BE READ MACROSCOPICALLY UNDER A GOOD LIGHT SOURCE WITHIN 8 MINUTES AS BLACK AGGREGATES AGAINST A WHITE BACKGROUND PLUS POSITIVE AND NEGATIVE CONTROLS WITH STABILITY OF ONE YEAR.	Per Bottle (1x5 ml)	45000 Bottle /Kit	1 Nos.	Drug Mfg. Lic
26	STAIN LEISHMAN LIQUID A.R.	Per Bottle (1x250 ml)	90 Bottles	2 Nos.	Ready to used Quality Control Test Report
27	COTTON WOOL ABSORBENT PLAIN B.P./ I.P. WITH PROPER INTER-LEAVING WITH PAPER BETWEEN THIN & LONG LAYERS WITH SMOOTH SURFACE & WITHOUT LUMP AT THE END	Per Packet	1350 Pkt. 500 gm	2 Packets	Drug Mfg. Lic
28	BANDAGE OPEN WOVEN 1 x 350 cms. AS PER SCHEDULE F-II OF DRUG & COSMETICS Act, 1940	Per No.	13500 No.	2 Nos.	Drug Mfg. Lic
29	BANDAGE OPEN WOVEN 7.5 x 550 cms. AS PER SCHEDULE F-II OF DRUG & COSMETICS Act, 1940	Per No.	13500 No.	2 Nos.	Drug Mfg. Lic
30	BANDAGE CLOTH COTTON BLEACHED IN ALTERNATIVE FOLD OF 1 METER, WIDTH 100 Cms. IN LENGTH 20 METERS AS PER SCHEDULE F-II OF Drugs & Cosmetics Act , 1940 WITH LATEST AMENDMENT (SAMPLE SHOULD BE SUBMITTED FOR FULL LENGTH OF 20 METERS)	Per Meter	1350 Meter	20 Meters	Drug Mfg. Lic
31	GAUZE , WHITE BLEACHED, IN PIECES OF 18 METERS IN FOLD OF 1 METER AS PER SCHEDULE F-II BOF DRUG & COSMETIC ACT, 1940 WITH LATEST AMENDMENT SINGLE WIDTH 90 Cms. IN INDIVIDULE PACKING	Per Piece	1350 Pieces	2 pieces	Drug Mfg. Lic

Sr. No.	Description	Unit / Packing	Quantity	Sample Required	Pre-qualifying Documents Required
1	2	3	4	5	6
32	MICROPORE ADHESIVE TAPE 1/2 "X9 Mtrs. IN LENGTH PAPER BASE	Per No.	1350 Nos.	2 Nos.	Drug Mfg. Lic
33	MICROPORE ADHESIVE 1"X9 Mts. IN LENGTH PAPER BASE	Per No.	1350 Nos.	2 Nos.	Drug Mfg. Lic
34	STICKING PLASTER 10 Meters x 2.5 Cms. B.P.C. OR SIMILAR PRODUCT	Per Roll (1x12 Spools/ Reels)	450 Rolls	2 Rolls	Drug Mfg. Lic
35	STICKING PLASTER 10 Meters x 7.5 Cms. B.P.C. OR SIMILAR PRODUCT	Per Roll (1x4 Spools/ Reels)	450 Rolls	2 Rolls	Drug Mfg. Lic
36	Sterile disposable Hypodermic plastic syringe 2cc With Needle.	Per No.	13500 Nos.	5 Nos.	2 Nos.
36	Sterile disposable Hypodermic plastic syringe 5cc With Needle.	Per No.	13500 Nos.	5 Nos.	1. ISO 9001:2000 Cft & 2. Drug Mfg. Lic./Import Lic.
38	Disposable needle sterile Length 1" Guage – 24	Per No.	27000 Nos.	5 Nos.	1. ISO 9001:2000 Cft & 2. Drug Mfg. Lic./Import Lic.
39	STERILE SURGICAL GLOVES 7.5	Per Pair	27000 Pairs	5 Pairs	1. Drug Mfg. Lic if applicable as per the Drug and Cosmetics Law and 2. ISI or CE from European notified body with no. or USFDA cft.
40	Nitrie Gloves powder free clean examination gloves Total Length : Minimum of 230 mm Size 6,6.5,7,7.5	Per Piece	45000 Pieces	5 Pairs	i) EU Standard Directive EU 2016/425 Category III EN 374 or ASTM D6319 to meet USFDA Approval OR IS 15354 (Part 1) : 2019 ii) EU Standard Directive 93/42/EEC Class I , EN 455 or EU Standard Directive EU 2016/425 Caregory III EN 374 IS 15354 9 Part 1):2019 iii) ASTM D3578 to meet USFDA approval or IS 41 48 : 1989 iv) Certificate of analysis of compliance to above characteristics from 3rd party , govt. approved or NABL accredited laboratory

Note - 1. Rate Should be quoted as per unit mentioned in column No. 3

2. Supply must be as per packing mentioned in Column no.3

Dy Dean (CPD) I/c