



TENDER PURPOSE

- NOTES :-**
- ALL DIMENSIONS ARE IN MILLIMETERS AND LEVELS IN METERS UNLESS OTHERWISE SPECIFIED.
 - NO DIMENSIONS SHALL BE SCALED FROM THIS DRAWING. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
 - CROSS CAMBER OF 2.5% SHALL BE PROVIDED.
 - F.R.L. FOR THE PROPOSED CARRIAGEWAY MAY CHANGE SLIGHTLY IF REQUIRED DURING DETAILED DESIGN DUE TO THE CHANGE IN THE OVERALL DEPTH OF THE SUPERSTRUCTURE INCLUDING WEARING COAT OF 75MM THICKNESS.
 - ACTUAL DEPTH OF FOUNDATION SHALL BE DECIDED BY ENGINEER-IN-CHARGE TO SUIT THE SOIL STRATA MET WITH AT THE SITE.
 - SHAPES AND DIMENSIONS OF ALL STRUCTURAL MEMBERS (i.e. PILE, PILE CAP, PIER, PIER CAP ETC. SHOWN ARE TENTATIVE AND SUBJECT TO CHANGE AS PER STRUCTURAL DESIGN AND DRAWING SUBMITTED BY CONSULTANT.
 - ANTI-CRASH BARRIER TO BE PROVIDED AS PER APPROVED DRAWING OF M.O.R.T & H STANDARD AND SHALL BE CAST IN SITU.
 - WEARING COAT THICKNESS 75MM SHALL BE PROVIDED. ROAD SURFACE TO BE MAINTAINED BY MCGM AUTHORITY.
 - MATERIALS**
 - CONCRETE (MIN.) SHALL BE CONTROLLED CONCRETE OF SPECIFIED GRADES :-
 - M40 - FOR SUBSTRUCTURE
 - M40 - FOR DECK SLAB, CRASH BARRIER, PILE CAP
 - M40 - FOR PILE
 - M20 - FOR PCC LEVELING COURSE
 - ALL REINFORCEMENT SHALL BE HYSD CONFIRMING TO IS-1786 FE 500D PROVIDING FUSION BOUNDED EPOXY COATING REINFORCING STEEL BAR AS PER IS:13620.
 - THE BRIDGE SHALL BE DESIGNED FOR VEHICULAR LOADINGS AS PER IRC 6 LATEST REVISION.
 - GRADE OF STRUCTURAL STEEL :- STAINLESS STEEL HOT ROLLED ANNEALED PICKLED PLATES IRS 450 CR STAINLESS STEEL OF STANDARD IS 6911, HAVING YIELD STRENGTH OF 450 MPA min (Fe:550 MPA).
 - DESIGN STANDARDS - DESIGN FOR VARIOUS COMPONENTS OF THE VIADUCT SHALL BE CARRIED OUT AS PER UNDER MENTIONED IRC CODES OF PRACTICE. (NON EXHAUSTIVE LIST) IRC:6-2017 IRC:112-2011, IRC:78-2014, IRC:5-2015, IRC:22-2015, IRC:24-2010, IRC:83 (PART I TO IV).
 - CLEAR COVER TO OUTER MOST STEEL IS 50mm FOR ALL COMPONENTS EXCEPT FOUNDATIONS WHERE IT SHALL BE 75mm.
 - FOR DETAILS OF DRAINAGE SPOUT REFER MOST'S STANDARD DRAWING NO. SD/303.
 - STRIP SEAL TYPE EXPANSION JOINT SHALL BE PROVIDED.
 - ELASTIC TYPE BEARING SHALL BE PROVIDED.
 - BINDING WIRES USED FOR REINFORCEMENT AND COVER BLOCKS SHALL BE OF APPROVED G.I. WIRE.
 - ALL THE PREFABRICATED STEEL GIRDERS SHOULD BE LAUNCHED WITH SUITABLE LAUNCHING SCHEME AS PER SITE REQUIREMENT WITH THE APPROVAL OF MCGM.
 - TESTING OF ALL MATERIALS SHALL BE DONE IN NABL APPROVED LABS ONLY.
 - FOR THE SUPERSTRUCTURE OF COMPOSITE GIRDER REFER SEPARATE DRAWING.
 - GAD IS PREPARED WHEN UTILITY SURVEY DETAILS WHERE NOT FURNISHED. HOWEVER PRIOR TO THE EXECUTION OF WORK, UTILITY SURVEY DETAILS SHOULD BE GIVEN TO THE DESIGN CONSULTANT BY MCGM. THE CONTRACTOR SHOULD TAKE CONFIRMATORY BORE HOLE AT THE LOCATION OF PIER P1 & P2 AND SHOULD SUBMIT SOIL INVESTIGATION REPORT TO DESIGN CONSULTANT BEFORE EXECUTION OF WORK.
 - HFL SHOULD BE VERIFIED FROM CONCERN DEPARTMENT BEFORE FINAL APPROVAL TO GAD/ EXECUTION OF WORK.
 - VERTICAL CLEARANCE FROM BED LEVEL TO SOFFIT OF GIRDER SHOULD BE VERIFIED FROM S.W DEPARTMENT.
 - EXISTING STRUCTURES SAFETY IS RESPONSIBILITY OF CONSTRUCTION AGENCY.

CONSULTING ENGINEERS:

TPF ENGINEERING PVT. LTD.
(Formerly known as S.N.BHOBE & ASSOCIATES Pvt. Ltd.)
1401, Rupa Sapphire, Plot no. 12, Sector-18,
Opposite Sanpada Railway Station, Sion - Panvel Highway,
Vashi, Navi Mumbai - 400705
Tel: +912269063300 to 3330
E-mail: info@tpfel.com Website: www.tpf.eu

DATE	13-04-2022	SIGN				
DRAWN	FAT					
CHECKED	RBD					
DESIGN	DPP		R3	02-06-2022	REVISED AS PER THE INSTRUCTION GIVEN BY MCGM OFFICIALS DATED 01.06.2022 ACCORDINGLY CHANGES ARE DONE IN SUPERSTRUCTURE TYPE AND A UTILITY CORRIDOR IS ADDED.	FAT DPP MNP SSS
CHECKED	MNP/SGR		R2	10-05-2022	REVISED AS PER DISCUSSION WITH MCGM OFFICIAL ON DATED 10/05/2022 AND DP REMARKS.	FAT DPP MNP SSS
APPROVED	SSS		R1	22-04-2022	REVISED AS PER SWD REMARKS RECEIVED FROM MCGM OFFICE ON WHATSAPP DATED 21/04/2022.	FAT DPP MNP SSS
JOB NO.:	MCGM-218	SCALE AS SHOWN	REV. NO.	DATE OF ISSUE	REVISION DETAILS	DRAWN DES. CHKD. APRD.

CLIENT:

BRIHAN MUMBAI MAHANAGAR PALIKA
MUNICIPAL STORE BUILDING 1TH FLOOR, DR. E. MOSES ROAD, OPP. GEETA TALKIES, WORLI, MUMBAI-400 018 TELE. 24912537 FAX. 24945381 E.MAIL:-BMC_BRIDGES@VSNL.NET

PROJECT: DEMOLITION AND CONSTRUCTION OF VEHICULAR BRIDGE AT CHOTA POOL ON B BRANCH OF POISAR RIVER AT JAWAHARLAL RAMSUMER YADAV MARG

TITLE: CONCEPTUAL GENERAL ARRANGEMENT DRAWING OF VEHICULAR BRIDGE AT JAWAHARLAL RAMSUMER YADAV MARG

DRG. NO.: MCGM-218/JAWAHARLAL-ROAD/GEN/21802/R3

REV. R3 A1

N OF T - 00 OF 00