

BRIHANMUMBAI MAHANAGARPALIKA
Office of Dy.Ch.E. (SSP),Nehru Road Vile Parle (East) -400057

Competition Notice

Dy.Chief Engineer (SSP) invites entries from Registered Architects, Architectural /Engineering Students for Competition arranged for standard architectural Drawing, Elevation, Section, colour scheme,etc for proposed Community Toilet Blocks in slums of Mumbai.

The prizes for winners are as follows:

Sr.No.	Type of Toilet Block	Rank of Winner	Prize
1	A	First	Rs.10000+ Certificate
		Second	Rs.5000+ Certificate
		Third	Rs.3000+ Certificate
2	B	First	Rs.10000 + Certificate
		Second	Rs.5000 + Certificate
		Third	Rs.3000 + Certificate
3	C	First	Rs.10000 + Certificate
		Second	Rs.5000 + Certificate
		Third	Rs.3000 + Certificate

Requirements for Public Toilet: The following requirement shall be taken into consideration while planning and designing of the Community Toilet Blocks.

- 1) Plinth level shall be minimum 0.6 m above the existing ground level.
- 2) Floor to floor height shall be minimum 2.88 m
- 3) Size of the facilities provided should be as follows
 - a) W.C & Ladies Urinal – 900mm x 1200 mm.
 - b) Urinals (Gents) - 600mm x 675mm.
 - c) One separate Handicap Toilet with European type W.C. and ramp with handrail.
- 4) The Capacity of underground storage tank shall be worked out on the basis of 560 liters. Per W.C. seat and the Overhead tank will be half the capacity of the underground storage tank i.e. 280 liter/Seat. Overhead tank shall be of PVC sintex type.

Plan shall be prepared for following three categories:

Sr. No.	Category	Plot Area	Facilities Provided
1	Type A (Ground floor)	Upto 100 sq. m	1.Toilet block (Male, Female, PH, Transgender,Children) 2.Bathrooms(Male, Female) 3.Wash Basin area, mirror, Hand wash,etc 4.Sanitary Napkin and Vending Machine in Ladies toilet 5.Sanitizer

			<p>6.Dustbin</p> <p>7.Water and Electricity connection</p>
2	Type B (Gr.+1)	More than 100 sq.m to 250 sq.m	<p>1.Toilet block (Male, Female, PH, Transgender ,Children)</p> <p>2.Bathrooms(Male, Female)</p> <p>3.Wash Basin area, mirror, Hand wash, etc</p> <p>4.Sanitary Napkin and Vending Machine in Ladies toilet</p> <p>5.Sanitizer</p> <p>6.Dustbin</p> <p>7.Water and Electricity connection</p> <p>8.Laundry (Washing Machines/ Ironing) (20 Sq.m.)</p> <p>9.Feet Cleaning Area</p> <p>10.Landscape in front of toilet block</p> <p>11.Reception Area</p> <p>12. CCTV</p> <p>13. Bank ATM, Saloon, Ration shops wherever permissible. (10 Sq.m. each)</p> <p>14. Potable R.O. water facility.</p>

3	Type C (Gr+2)	More than 250 sq. m.	<ol style="list-style-type: none"> 1.Toilet block (Male, Female, PH, Transgender) 2.Bathrooms(Male, Female) 3.Wash Basin area, mirror, Handwash,etc 4.Sanitary Napkin and Vending Machine in Ladies toilet 5.Sanitizer 6.Dustbin 7.Water and Electricity connection 8.Laundry (Washing Machines/ Ironing) (20 Sq.m.) 9.Feet Cleaning Area 10.Landscape in front of toilet block 11.Reception Area 12. CCTV 13. Bank ATM, Saloon, Ration shop wherever permissible.(10 Sq.m.each) 14. Charging Station for electric vehicles.(10 Sq.m.) 15. Potable R.O. water facility.
---	----------------------	---	---

Sd/-
Dy.Ch.E. (SSP)

Date:-