

MUNICIPAL CORPORATION OF GREATER MUMBAI
CHIEF ENGINEER (ROADS, TRAFFIC & BRIDGES)

REVISED BASIC NORMS FOR REGISTRATION OF RMC PLANTS W.E.F.
01.07.2011.

Ref: Minutes of Pre bid meeting for C.C. Road tenders of Work Code No. C-242, C-243, W-254, W-255, E-208, E-209 and Asphalt Road tenders of Work Code No. AC-81, AW-59, AE-33 on 15.06.2011.

1. Location of plant shall be in Mumbai or in the outskirts of the Mumbai Limit, provided it fulfills the provisions of IS 4926 of 1976 subject to following :
 - (a) RMC plants falling within Mumbai Limits and Meera - Bhayender Municipal Corporation Limits or Navi Mumbai Municipal Corporation Limits and Thane Municipal Corporation Limits (which fall in Mumbai Metropolitan Region) shall be considered for approval subject to other norms are satisfied by the R.M.C. plant.
 - (b) For the RMC plants which fall within rest of the Mumbai Metropolitan Region than mentioned at 1 above, it would be necessary for RMC plant owners to show trial to the Chief Engineer (Roads, Traffic & Bridges). If such plants, after trial, fulfill the aforesaid provisions in IS 4926 of 1976, the same can be considered for approval with restrictions areas supply of Ready Mix Concrete.
2. All operations in Batching plant should be fully computerized.
3. Only advanced mixers like pan or twin shaft should be used in the Batching plant.
4. Minimum one silo of capacity 75 M.T. for storing the cement shall be provided. If the mixture of O.P.C. with G.G.B.S./flyash is proposed to be used for a project, minimum two silos should be provided.
5. Minimum six (6) transit mixers should be available in the RMC Plant for transporting RMC mixes to the ongoing works.
6. The proper partitions for segregating various aggregates should be provided.
7. RMC plant should have an up to date laboratory for performing various tests.
8. Skilled personnel viz. Quality Control Engineer, Laboratory Technician, Plant Operator etc. should be employed by RMC plant owners.
9. The access for the RMC plant should be in good condition.
10. Telephone connection should be available in the RMC plant.
11. NOC/consent should be obtained from Maharashtra Pollution Control Board.
12. Valid land ownership/Lease Agreement Document and approval from Local Authority (Municipal Corporation etc.) are necessary.

Sd/-29.06.2011
Chief Engineer (Rds., Tr. & Br.)